Fişă privind standarde minimale pe domenii ale Universităţii "Alexandru Ioan Cuza" din Iasi pentru functia de Cercetator Stiintific, domeniul Fizică

Standardele minimale, pe domeniul Fizica, ale universitatii în conformitate cu Anexa 2 din Metodologia de concurs:

a. I minim : 0.5, P minim: 0.75;
b. Membru în echipa unui proiect de cercetare cu finantare obtinuta prin competiţie;

Îndeplinirea standardelor minimale obligatorii stabilite de comisia Fizica din cadrul UAIC:

Standard	Standardul minimal	Realizat
$I = \sum_i \frac{a_i}{n_i^{ef}}$	0.5	6.842
$C = \sum_i \frac{c_i}{n_i^{ef}}$	-	63.466
$P = \sum_i a_i$	0.75	6.551
Membru în echipa unui proiect de cercetare	1 (membru)	9 (1 director proiect, 1 responsabil proiect, 7 memtri)

Tabel de calcul pentru coeficientii I, P, C

[1] Dumitru, I; Astefanoaei, I; Cimpoesu, D; Stancu, A, Magnetic behavior of Joule-heated magnetic core-shell nanowires with positive magnetostrictive core material, APPL SURF SCI, vol. 352, pp. 54-59, (2015) 10.1016/J.APSUSC.2015.03.055
autori=4 autori_eff=4.000 AIS=0.215 prim=0.215 inf=0.054 citari/valide=0 / 0 cit=0.000
---
[2] Bulai, G; Diamandescu, L; Dumitru, I; Gurlui, S; Feder, M; Caltun, OF, Effect of rare earth substitution in cobalt ferrite bulk materials, J MAGN MAGN MATER, vol. 390, pp. 123-131, (2015) 10.1016/J.JMMM.2015.04.089
[2.1] Dippong, T; Levei, EA; Diamandescu, L; Bibicu, I; Leostean, C; Borodi, G; Tudoran, LB, Structural and magnetic properties of CoxFe3-xO4 versus Co/Fe molar ratio, J MAGN MAGN MATER, vol. 394, pp. 111-116, , (2015) 10.1016/J.JMMM.2015.06.055
autori=6 autori_eff=5.333 AIS=1.445 prim=0.000 inf=0.271 citari/valide=1 / 1 cit=0.188
---
[3] Astefanoaei, I; Dumitru, I; Chiriac, H; Stancu, A, Use of the Fe-Cr-Nb-B Systems With Low Curie Temperature as Mediators in Magnetic Hyperthermia, IEEE T MAGN, vol. 50(11), art.no. 7400904, (2014) 10.1109/TMAG.2014.2324658
autori=4 autori_eff=4.000 AIS=0.387 prim=0.000 inf=0.097 citari/valide=0 / 0 cit=0.000
---
[4] Dumitru, I; Cimpoesu, D; Stancu, A, Measurements on Real and Imaginary Parts of Transverse Susceptibility of Particulate System, IEEE T MAGN, vol. 50(11), art.no. 6101104, (2014) 10.1109/TMAG.2014.2331176
autori=3 autori_eff=3.000 AIS=0.387 prim=0.387 inf=0.129 citari/valide=0 / 0 cit=0.000
---
[5] Durneata, D; Hempelmann, R; Caltun, O; Dumitru, I, High-Frequency Specific Absorption Rate of CoxFe1-xFe2O4 Ferrite Nanoparticles for Hipertermia Applications, IEEE T MAGN, vol. 50(11), art.no. 5201104, (2014) 10.1109/TMAG.2014.2324011
autori=4 autori_eff=4.000 AIS=0.387 prim=0.387 inf=0.097 citari/valide=0 / 0 cit=0.000
---
[6] Astefanoaei, I; Dumitru, I; Chiriac, H; Stancu, A, Controlling temperature in magnetic hyperthermia with low Curie temperature particles, J APPL PHYS, vol. 115(17), art.no. 17B531, (2014) 10.1063/1.4868709
[6.1] Zorbas, G; Samaras, T, A study of the sink effect by blood vessels in radiofrequency ablation, COMPUT BIOL MED, vol. 57, pp. 182-186, , (2015) 10.1016/J.COMPBIOMED.2014.12.014
autori=4 autori_eff=4.000 AIS=0.836 prim=0.000 inf=0.209 citari/valide=1 / 1 cit=0.250
---
[7] Astefanoaei, I; Dumitru, I; Stancu, A; Chiriac, H, A thermo-fluid analysis in magnetic hyperthermia, CHINESE PHYS B, vol. 23(4), art.no. 044401, (2014) 10.1088/1674-1056/23/4/044401
autori=4 autori_eff=4.000 AIS=0.191 prim=0.000 inf=0.048 citari/valide=0 / 0 cit=0.000
---
[8] Diaconu, A; Dumitru, I; Stancu, A; Spinu, L, The temperature dependence of magnetostatic interactions in nanowire systems, , vol. , pp. 132-136, (2014)
autori=4 autori_eff=4.000 AIS=0.000 prim=0.000 inf=0.000 citari/valide=0 / 0

cit=0.000
---
[9] Astefanoaei, I; Dumitru, I; Stancu, A, Size-dependent thermal stresses in the core-shell nanoparticles, CHINESE PHYS B, vol. 22(12), art.no. 128102, (2013) 10.1088/1674-1056/22/12/128102

[9.1] Liu, YG; Kang, AG; Zhang, SF; Hou, ZW; Liu, WB, Theoretical analysis on ferroelectricity critical dimension of BaTiO3 nanoparticles, ACTA PHYS SIN-CH ED, vol. 64(17), art.no. 177702, (2015) 10.7498/APS.64.177702

autori=3 autori_eff=3.000 AIS=0.191 prim=0.000 inf=0.064 citari/valide=1 / 1 cit=0.333
---
[10] Dumitru, I; Astefanoaei, I; Stancu, A, Thermal stress dependence of magnetic hysteretic processes in core-shell nanoparticles, MATER SCI ENG B-ADV, vol. 178(19), pp. 1323-1328, (2013) 10.1016/J.MSEB.2013.03.001

autori=3 autori_eff=3.000 AIS=0.534 prim=0.534 inf=0.178 citari/valide=0 / 0 cit=0.000
---
[11] Slatineanu, T; Iordan, AR; Oancea, V; Palamaru, MN; Dumitru, I; Constantin, CP; Caltun, OF, Magnetic and dielectric properties of Co-Zn ferrite, MATER SCI ENG B-ADV, vol. 178(16), pp. 1040-1047, (2013) 10.1016/J.MSEB.2013.06.014

[11.1] Sharma, J; Sharma, N; Parashar, J; Saxena, VK; Bhatnagar, D; Sharma, KB, Dielectric properties of nanocrystalline Co-Mg ferrites, J ALLOY COMPD, vol. 649, pp. 362-367, , (2015) 10.1016/J.JALLCOM.2015.07.103

[11.2] Kumari, N; Kumar, V; Singh, SK, Effect of Cr3+ substitution on properties of nano-ZnFe2O4, J ALLOY COMPD, vol. 622, pp. 628-634, , (2015) 10.1016/J.JALLCOM.2014.10.083

[11.3] Kumari, N; Kumar, V; Khasa, S; Singh, SK, Chemical synthesis and magnetic investigations on Cr3+ substituted Zn-ferrite superparamagnetic nano-particles, CERAM INT, vol. 41(1), pp. 1907-1911, , (2015) 10.1016/J.CERAMINT.2014.09.118

[11.4] Chen, ZH; Sun, YP; Kang, ZT; Chen, D, Preparation of ZnxCo1-xFe2O4 nanoparticles by microwave-assisted ball milling, CERAM INT, vol. 40(9), pp. 14687-14692, , (2014) 10.1016/J.CERAMINT.2014.06.058

autori=7 autori_eff=5.667 AIS=0.534 prim=0.000 inf=0.094 citari/valide=4 / 4 cit=0.706
---
[12] Aldrigo, M; Costanzo, A; Masotti, D; Baldisserri, C; Dumitru, I; Galassi, C, Numerical and experimental characterization of a button-shaped miniaturized UHF antenna on magneto-dielectric substrate, INT J MICROW WIREL T, vol. 5(3), pp. 231-239, (2013) 10.1017/S1759078713000445

[12.1] Fantuzzi, M; Masotti, D; Costanzo, A, A Novel Integrated UWB-UHF One-Port Antenna for Localization and Energy Harvesting, IEEE T ANTENN PROPAG, vol. 63(9), pp. 3839-3848, , (2015) 10.1109/TAP.2015.2452969

[12.2] Pacini, A; Costanzo, A; Masotti, D, A theoretical and numerical approach for selecting miniaturized antenna topologies on magneto-dielectric substrates, INT J MICROW WIREL T, vol. 7(3-4), pp. 369-377, , (2015) 10.1017/S1759078715000859

autori=6 autori_eff=5.333 AIS=0.000 prim=0.000 inf=0.000 citari/valide=2 / 2 cit=0.375
---
[13] Ciomaga, CE; Balmus, SB; Dumitru, I; Mitoseriu, L, Experimental and analytical modeling of resonant permittivity and permeability in ferroelectric-ferrite composites in microwave range, J APPL PHYS, vol. 111(12), art.no. 124114, (2012) 10.1063/1.4730785

[13.1] Ciomaga, CE; Olariu, CS; Padurariu, L; Sandu, AV; Galassi, C; Mitoseriu, L, Low field permittivity of ferroelectric-ferrite ceramic composites: Experiment and modeling, J APPL PHYS, vol. 112(9), art.no. 094103, (2012) 10.1063/1.4764037

autori=4 autori_eff=4.000 AIS=0.836 prim=0.000 inf=0.209 citari/valide=1 / 1 cit=0.250

---
[14] Chiscan, O; Dumitru, I; Tura, V; Stancu, A, PVC/Fe electrospun nanofibers for high frequency applications, J MATER SCI, vol. 47(5), pp. 2322-2327, (2012) 10.1007/S10853-011-6047-X
[14.1] Huang, WD; Zou, T; Li, SF; Jing, JQ; Xia, XY; Liu, XL, Drug-Loaded Zein Nanofibers Prepared Using a Modified Coaxial Electrospinning Process, AAPS PHARMSCITECH, vol. 14(2), pp. 675-681, , (2013) 10.1208/S12249-013-9953-1
[14.2] Yang, XC; Liu, RJ; Shen, XQ; Song, FZ; Jing, MX; Meng, XF, Enhancement of microwave absorption of nanocomposite BaFe12O19/alpha-Fe microfibers, CHINESE PHYS B, vol. 22(5), art.no. 058101, (2013) 10.1088/1674-1056/22/5/058101
autori=4 autori_eff=4.000 AIS=0.584 prim=0.000 inf=0.146 citari/valide=2 / 2 cit=0.500
---
[15] Chiscan, O; Dumitru, I; Postolache, P; Tura, V; Stancu, A, Electrospun PVC/Fe3O4 composite nanofibers for microwave absorption applications, MATER LETT, vol. 68, pp. 251-254, (2012) 10.1016/J.MATLET.2011.10.084
[15.1] Huang, SR; Lin, KF; Don, TM; Chiu, WY; Lin, MF, Fabrication and Characterization of UV-crosslinkable Thermoresponsive Composite Fibers with Magnetic Properties, J POLYM SCI POL CHEM, vol. 53(18), pp. 2152-2162, , (2015) 10.1002/POLA.27684
[15.2] Panthi, G; Park, M; Kim, HY; Park, SJ, Electrospun polymeric nanofibers encapsulated with nanostructured materials and their applications: A review, J IND ENG CHEM, vol. 24, pp. 1-13, , (2015) 10.1016/J.JIEC.2014.09.011
[15.3] Sangsanoh, P; Supaphol, P, Poly(3-hydroxybutyrate)/magnetite Composite Nanofibers Obtained Via Combined Electrospinning and Ammonia Gas-enhancing In Situ Co-precipitation: Preparation and Potential Use in Biomedical Applications, CHIANG MAI J SCI, vol. 41(3), pp. 676-690, , (2014)
[15.4] Huang, SR; Lin, KF; Lee, CF; Chiu, WY, Synthesis and Properties of Thermoresponsive Magnetic Polymer Composites and Their Electrospun Nanofibers, J POLYM SCI POL CHEM, vol. 52(6), pp. 848-856, , (2014) 10.1002/POLA.27067
[15.5] Wei, W; Yue, XG; Zhou, Y; Wang, Y; Chen, Z; Zhu, M; Fang, JY; Jiang, ZH, Novel ternary Fe3O4@polyaniline/polyazomethine/polyetheretherketone crosslinked hybrid membranes: fabrication, thermal properties and electromagnetic behaviours, RSC ADV, vol. 4(22), pp. 11159-11167, , (2014) 10.1039/C3RA47709F
[15.6] Tijing, LD; Ruelo, MTG; Amarjargal, A; Pant, HR; Park, CH; Kim, DW; Kim, CS, Antibacterial and superhydrophilic electrospun polyurethane nanocomposite fibers containing tourmaline nanoparticles, CHEM ENG J, vol. 197, pp. 41-48, , (2012) 10.1016/J.CEJ.2012.05.005
autori=5 autori_eff=5.000 AIS=0.583 prim=0.000 inf=0.117 citari/valide=6 / 6 cit=1.200
---
[16] Chiscan, O; Dumitru, I; Tura, V; Chiriac, H; Stancu, A, High Frequency Absorption of PVC/Iron Oxides and PVC/CoFe2O4/CoO Nanofibers Produced by Electrospinning Technique, IEEE T MAGN, vol. 47(11), pp. 4511-4516, (2011) 10.1109/TMAG.2011.2158109
[16.1] Panwar, R; Agarwala, V; Singh, D, A cost effective solution for development of broadband radar absorbing material using electronic waste, CERAM INT, vol. 41(2), pp. 2923-2930, , (2015) 10.1016/J.CERAMINT.2014.10.118
[16.2] Chen, Y; Liu, XY; Mao, XY; Zhuang, QX; Xie, Z; Han, ZW, gamma-Fe2O3-MWNT/poly(p-phenylenebenzobisoxazole) composites with excellent microwave absorption performance and thermal stability, NANOSCALE, vol. 6(12), pp. 6440-6447, , (2014) 10.1039/C4NR00353E
[16.3] Yang, XC; Liu, RJ; Shen, XQ; Song, FZ; Jing, MX; Meng, XF, Enhancement of microwave absorption of nanocomposite BaFe12O19/alpha-Fe microfibers, CHINESE PHYS B, vol. 22(5), art.no. 058101, (2013) 10.1088/1674-1056/22/5/058101
[16.4] Hoque, SM; Kader, SS; Paul, DP; Saha, DK; Das, HN; Rana, MS; Chattopadhyay, K; Hakim, MA, Effect of Grain Size on Structural and Magnetic Properties of CuFe2O4 Nanograins Synthesized by Chemical Co-Precipitation, IEEE T MAGN, vol. 48(5), pp. 1839-1843, , (2012) 10.1109/TMAG.2011.2173207
autori=5 autori_eff=5.000 AIS=0.387 prim=0.000 inf=0.077 citari/valide=4 / 4

cit=0.800
---
[17] Astefanoaei, I; Dumitru, I; Stancu, A, Induced Thermal Stresses in Core Shell Magnetic Particles, IEEE T MAGN, vol. 47(10), pp. 3829-3832, (2011) 10.1109/TMAG.2011.2144964
[17.1] Truzzolillo, D; Vlassopoulos, D; Munam, A; Gauthier, M, Depletion gels from dense soft colloids: Rheology and thermoreversible melting, J RHEOL, vol. 58(5), pp. 1441-1462, , (2014) 10.1122/1.4866592
[17.2] Truzzolillo, D; Vlassopoulos, D; Gauthier, M; Munam, A, Thermal melting in depletion gels of hairy nanoparticles, SOFT MATTER, vol. 9(38), pp. 9088-9093, , (2013) 10.1039/C3SM50731A
autori=3 autori_eff=3.000 AIS=0.387 prim=0.000 inf=0.129 citari/valide=2 / 2 cit=0.667
---
[18] Manu, OM; Dimian, M; Dumitru, I; Graur, A, Influence of Array Geometrical Configuration on Beamforming in Phased Antenna Arrays and the Phase Shifter Development, , vol. , (2011)
autori=4 autori_eff=4.000 AIS=0.000 prim=0.000 inf=0.000 citari/valide=0 / 0 cit=0.000
---
[19] Pascariu, GN; Avadanei, OG; Balmus, SB; Dumitru, I; Gasner, P, A study of patch antenna arrays on alumina substrate, J OPTOELECTRON ADV M, vol. 12(10), pp. 2132-2138, (2010)
[19.1] Hu, T; Wang, ZR; Su, YB; Tang, LW; Shen, G; Song, CL; Han, GR; Weng, WJ; Ma, N; Du, PY, Formation of Ag nanoparticles in percolative Ag-PbTiO3 composite thin films through lead-rich Ag-Pb alloy particles formed as transitional phase, THIN SOLID FILMS, vol. 524, pp. 121-126, , (2012) 10.1016/J.TSF.2012.10.054
autori=5 autori_eff=5.000 AIS=0.113 prim=0.000 inf=0.023 citari/valide=1 / 1 cit=0.200
---
[20] Vilceanu, V; Feder, M; Boutiuc, L; Dumitru, I; Caltun, OF, The influence of chemical composition on initial permeability frequency spectra of cobalt ferrites, OPTOELECTRON ADV MAT, vol. 4(6), pp. 808-811, (2010)
autori=5 autori_eff=5.000 AIS=0.078 prim=0.000 inf=0.016 citari/valide=0 / 0 cit=0.000
---
[21] Ciomaga, CE; Dumitru, I; Mitoseriu, L; Galassi, C; Iordan, AR; Airimioaei, M; Palamaru, MN, Magnetoelectric ceramic composites with double-resonant permittivity and permeability in GHz range: A route towards isotropic metamaterials, SCRIPTA MATER, vol. 62(8), pp. 610-612, (2010) 10.1016/J.SCRIPTAMAT.2010.01.005
[21.1] Han, YM; Li, LX; Wang, F; Yuan, YJ; Miao, YP; Zhao, JS; Zhang, KL, Electric-field switch of magnetization in BaTiO3-Na0.5Bi0.5TiO3-NiFe2O4 composite, J MATER SCI-MATER EL, vol. 26(11), pp. 8261-8266, , (2015) 10.1007/S10854-015-3489-Y
[21.2] Wang, X; Li, QF; Su, ZJ; Gong, W; Gong, RZ; Chen, YJ; Harris, VG, Enhanced microwave absorption of multiferroic Co(2)Z hexaferrite-BaTiO3 composites with tunable impedance matching, J ALLOY COMPD, vol. 643, pp. 111-115, , (2015) 10.1016/J.JALLCOM.2015.04.122
[21.3] Rittidech, A; Sutthapintu, A, Phase Formation, Microstructure, Magnetic and Electrical Properties of (1-x)Mg0.7Zn0.3Fe2O4-xBa0.7Sr0.3TiO3 Ceramics Composite, FERROELECTRICS, vol. 458(1), pp. 227-233, , (2014) 10.1080/00150193.2013.850979
[21.4] Zhang, ZD; Fan, RH; Shi, ZC; Pan, SB; Yan, KL; Sun, KN; Zhang, JD; Liu, XF; Wang, XL; Dou, SX, Tunable negative permittivity behavior and conductor-insulator transition in dual composites prepared by selective reduction reaction, J MATER CHEM C, vol. 1(1), pp. 79-85, , (2013) 10.1039/C2TC00269H
[21.5] Aldrigo, M; Costanzo, A; Masotti, D; Galassi, C, Exploitation of a novel magneto-dielectric substrate for miniaturization of wearable UHF antennas, MATER LETT, vol. 87, pp. 127-130, , (2012) 10.1016/J.MATLET.2012.07.101
[21.6] Zhou, JP; Lv, L; Liu, Q; Zhang, YX; Liu, P, Hydrothermal synthesis and properties of NiFe2O4@BaTiO3 composites with well-matched interface, SCI TECHNOL ADV MAT, vol. 13(4), art.no.

045001, (2012) 10.1088/1468-6996/13/4/045001
[21.7] Gao, M; Shi, ZC; Fan, RH; Qian, L; Zhang, ZD; Guo, JY, High-Frequency Negative Permittivity from Fe/Al2O3 Composites with High Metal Contents, J AM CERAM SOC, vol. 95(1), pp. 67-70, , (2012) 10.1111/J.1551-2916.2011.04963.X
[21.8] Wang, HM; Pan, E; Chen, WQ, Large multiple resonance of magnetoelectric effect in a multiferroic composite cylinder with an imperfect interface, PHYS STATUS SOLIDI B, vol. 248(9), pp. 2180-2185, , (2011) 10.1002/PSSB.201147015
autori=7 autori_eff=5.667 AIS=1.210 prim=0.000 inf=0.214 citari/valide=8 / 8 cit=1.412
---
[22] Ciomaga, CE; Galassi, C; Prihor, F; Dumitru, I; Mitoseriu, L; Iordan, AR; Airimioaei, M; Palamaru, MN, Preparation and properties of the CoFe2O4-Nb-Pb(Zr,Ti)O-3 multiferroic composites prepared in situ by gel-combustion method, J ALLOY COMPD, vol. 485(1-2), pp. 372-378, (2009) 10.1016/J.JALLCOM.2009.05.101
[22.1] Curecheriu, LP; Buscaglia, MT; Maglia, F; Anselmi-Tamburini, U; Buscaglia, V; Mitoseriu, L, Design tunable materials: Ferroelectric-antiferroelectric composite with core-shell structure, APPL PHYS LETT, vol. 105(25), art.no. 252901, (2014) 10.1063/1.4905036
[22.2] Raneesh, B; Soumya, H; Philip, J; Thomas, S; Nandakumar, K, Magnetoelectric properties of multiferroic composites (1-x) ErMnO3-xY(3)Fe(5)O(12) at room temperature, J ALLOY COMPD, vol. 611, pp. 381-385, , (2014) 10.1016/J.JALLCOM.2014.05.155
[22.3] Rani, J; Yadav, KL; Prakash, S, Enhanced magnetodielectric effect and optical property of lead-free multiferroic (1-x)(Bi0.5Na0.5)TiO3/xCoFe(2)O(4) composites, MATER CHEM PHYS, vol. 147(3), pp. 1183-1190, , (2014) 10.1016/J.MATCHEMPHYS.2014.07.002
[22.4] Dang-Hyok, Y; Raju, K; Bong-Ki, M; Reddy, PV, Synthesis and characterization of microwave sintered ferromagnetic-ferroelectric perovskite composites, CERAM INT, vol. 40(8), pp. 13497-13505, , (2014) 10.1016/J.CERAMINT.2014.05.077
[22.5] Acevedo, U; Gaudisson, T; Ortega-Zempoalteca, R; Nowak, S; Ammar, S; Valenzuela, R, Magnetic properties of ferrite-titanate nanostructured composites synthesized by the polyol method and consolidated by spark plasma sintering, J APPL PHYS, vol. 113(17), art.no. 17B519, (2013) 10.1063/1.4798604
[22.6] Ren, ZH; Xiao, Z; Yin, SM; Mai, JQ; Liu, ZY; Xu, G; Li, X; Shen, G; Han, GR, Preparation and characterization of single-crystal multiferroic nanofiber composites, J ALLOY COMPD, vol. 552, pp. 518-523, , (2013) 10.1016/J.JALLCOM.2012.11.087
[22.7] Leonel, LV; Silva, JB; Albuquerque, AS; Ardisson, JD; Macedo, WAA; Mohallem, NDS, Structural and Mossbauer investigation on barium titanate-cobalt ferrite composites, J PHYS CHEM SOLIDS, vol. 73(11), pp. 1362-1371, , (2012) 10.1016/J.JPCS.2012.06.011
[22.8] Baber, SM; Lin, QL; Zou, GF; Haberkorn, N; Baily, SA; Wang, HY; Bi, ZX; Yang, H; Deng, SG; Hawley, ME; Civale, L; Bauer, E; McCleskey, TM; Burrell, AK; Jia, QX; Luo, HM, Magnetic Properties of Self-Assembled Epitaxial Nanocomposite CoFe2O4:SrTiO3 and CoFe2O4:MgO Films, J PHYS CHEM C, vol. 115(51), pp. 25338-25342, , (2011) 10.1021/JP2068232
[22.9] Zhu, L; Dong, YL; Zhang, XH; Yao, YY; Weng, WJ; Han, GR; Ma, N; Du, PY, Microstructure and properties of sol-gel derived PbTiO3/NiFe2O4 multiferroic composite thin film with the two nano-crystalline phases dispersed homogeneously, J ALLOY COMPD, vol. 503(2), pp. 426-430, , (2010) 10.1016/J.JALLCOM.2010.05.025
autori=8 autori_eff=6.000 AIS=0.488 prim=0.000 inf=0.081 citari/valide=9 / 9 cit=1.500
---
[23] Goian, V; Dumitru, I; Astefanoaei, I; Stancu, A, The effect of temperature on magnetostatic interactions in nanowires systems, J OPTOELECTRON ADV M, vol. 11(8), pp. 1100-1105, (2009)
autori=4 autori_eff=4.000 AIS=0.115 prim=0.000 inf=0.029 citari/valide=0 / 0 cit=0.000
---
[24] Boutiuc, LM; Dumitru, I; Caltun, OF; Feder, M; Vilceanu, V, Coprecipitated Cobalt Ferrite for Sensors, SENSOR LETT, vol. 7(3), pp. 244-246, (2009) 10.1166/SL.2009.1067

[24.1] Yang, HB; Ye, T; Lin, Y; Liu, M; Zhang, G; Kang, P, Preparation and magnetic properties of CoFe2O4/Y3Fe5O12 nanocomposite powders, J MATER SCI-MATER EL, vol. 26(3), pp. 1827-1831, , (2015) 10.1007/S10854-014-2617-4

[24.2] Murugesan, C; Chandrasekaran, G, Impact of Gd3+ substitution on the structural, magnetic and electrical properties of cobalt ferrite nanoparticles, RSC ADV, vol. 5(90), pp. 73714-73725, , (2015) 10.1039/C5RA14351A

[24.3] Nlebedim, IC; Jiles, DC, Effect of Mg-substitution on the Magnetic Properties of Cobalt Ferrite, KEY ENG MATER, vol. 605, pp. 287-289, , (2014) 10.4028/WWW.SCIENTIFIC.NET/KEM.605.287

[24.4] Dascalu, G; Popescu, T; Feder, M; Caltun, OF, Structural, electric and magnetic properties of CoFe1.8RE0.2O4 (RE=Dy, Gd, La) bulk materials, J MAGN MAGN MATER, vol. 333, pp. 69-74, , (2013) 10.1016/J.JMMM.2012.12.048

[24.5] Dascalu, G; Durneata, D; Caltun, OF, Magnetic Measurements of RE-Doped Cobalt Ferrite Thin Films, IEEE T MAGN, vol. 49(1), pp. 46-49, , (2013) 10.1109/TMAG.2012.2220534

[24.6] Wang, WP; Yang, H; Xian, T; Jiang, JL, XPS and Magnetic Properties of CoFe2O4 Nanoparticles Synthesized by a Polyacrylamide Gel Route, MATER TRANS, vol. 53(9), pp. 1586-1589, , (2012) 10.2320/MATERTRANS.M2012151

[24.7] Ghosh, D; Han, H; Nino, JC; Subhash, G; Jones, JL, Synthesis of BaTiO3-20wt%CoFe2O4 Nanocomposites via Spark Plasma Sintering, J AM CERAM SOC, vol. 95(8), pp. 2504-2509, , (2012) 10.1111/J.1551-2916.2012.05221.X

[24.8] Pop, NC; Caltun, OF, Using the Jiles Atherton model to analyze the magnetic properties of magnetoelectric materials: (BaTiO3)(x) (CoFe2O4)(1-x), INDIAN J PHYS, vol. 86(4), pp. 283-289, , (2012) 10.1007/S12648-012-0055-9

[24.9] Sanchez, AM; Akaslompolo, L; Qin, QH; van Dijken, S, Toward All-Oxide Magnetic Tunnel Junctions: Epitaxial Growth of SrRuO3/CoFe2O4/La2/3Sr1/3MnO3 Trilayers, CRYST GROWTH DES, vol. 12(2), pp. 954-959, , (2012) 10.1021/CG201418Q

autori=5 autori_eff=5.000 AIS=0.231 prim=0.000 inf=0.046 citari/valide=9 / 9 cit=1.800

---

[25] Dumitru, I; Astefanoaei, I; Stancu, A, The energy eigenstates of two quantum dots systems placed at the air-semiconductor interface, J OPTOELECTRON ADV M, vol. 11(5), pp. 542-546, (2009)

autori=3 autori_eff=3.000 AIS=0.115 prim=0.115 inf=0.038 citari/valide=0 / 0 cit=0.000

---

[26] Trusca, OC; Cimpoesu, D; Lim, JH; Zhang, X; Wiley, JB; Diaconu, A; Dumitru, I; Stancu, A; Spinu, L, Interaction Effects in Ni Nanowire Arrays, IEEE T MAGN, vol. 44(11), pp. 2730-2733, (2008) 10.1109/TMAG.2008.2001501

[26.1] Lim, JH; Wiley, JB, Controlling Pore Geometries and Interpore Distances of Anodic Aluminum Oxide Templates via Three-Step Anodization, J NANOSCI NANOTECHNO, vol. 15(1), pp. 633-641, , (2015) 10.1166/JNN.2015.9245

[26.2] Kashi, MA; Ramazani, A; Esmaeily, AS, Magnetostatic Interaction Investigation of CoFe Alloy Nanowires by First-Order Reversal-Curve Diagrams, IEEE T MAGN, vol. 49(3), pp. 1167-1171, , (2013) 10.1109/TMAG.2012.2230335

[26.3] Rotaru, A; Lim, JH; Lenormand, D; Diaconu, A; Wiley, JB; Postolache, P; Stancu, A; Spinu, L, Interactions and reversal-field memory in complex magnetic nanowire arrays, PHYS REV B, vol. 84(13), art.no. 134431, (2011) 10.1103/PHYSREVB.84.134431

[26.4] Lavin, R; Denardin, JC; Espejo, AP; Cortes, A; Gomez, H, Magnetic properties of arrays of nanowires: Anisotropy, interactions, and reversal modes, J APPL PHYS, vol. 107(9), art.no. 09B504, (2010) 10.1063/1.3350905

[26.5] Lim, JH; Chae, WS; Lee, HO; Malkinski, L; Min, SG; Wiley, JB; Jun, JH; Lee, SH; Jung, JS, Fabrication and magnetic properties of Fe nanostructures in anodic alumina membrane, J APPL PHYS, vol. 107(9), art.no. 09A334, (2010) 10.1063/1.3340515

[26.6] Medina, JD; Piraux, L; Govea, JMO; Encinas, A, Double ferromagnetic resonance and configuration-dependent dipolar coupling in unsaturated arrays of bistable magnetic nanowires, PHYS REV B,

vol. 81(14), art.no. 144411, (2010) 10.1103/PHYSREVB.81.144411
[26.7] Lim, JH; Rotaru, A; Min, SG; Malkinski, L; Wiley, JB, Synthesis of mild-hard AAO templates for studying magnetic interactions between metal nanowires, J MATER CHEM, vol. 20(41), pp. 9246-9252, , (2010) 10.1039/C0JM01365J
[26.8] Carignan, LP; Massicotte, M; Caloz, C; Yelon, A; Menard, D, Magnetization Reversal in Arrays of Ni Nanowires With Different Diameters, IEEE T MAGN, vol. 45(10), pp. 4070-4073, , (2009) 10.1109/TMAG.2009.2024162
autori=9 autori_eff=6.333 AIS=0.384 prim=0.000 inf=0.061 citari/valide=8 / 8 cit=1.263
---
[27] Feder, M; Diamandescu, L; Bibicu, I; Caltun, OF; Dumitru, I; Boutiuc, L; Chiriac, H; Lupu, N; Vilceanu, V; Vilceanu, M, Comparative Study on the Microstructural and Magnetic Properties of Cobalt Ferrites Synthesized by Ceramic and Oxidation Wet Methods, IEEE T MAGN, vol. 44(11), pp. 2936-2939, (2008) 10.1109/TMAG.2008.2002200
[27.1] Dippong, T; Levei, EA; Diamandescu, L; Bibicu, I; Leostean, C; Borodi, G; Tudoran, LB, Structural and magnetic properties of CoxFe3-xO4 versus Co/Fe molar ratio, J MAGN MAGN MATER, vol. 394, pp. 111-116, , (2015) 10.1016/J.JMMM.2015.06.055
[27.2] Sedlacik, M; Pavlinek, V; Peer, P; Filip, P, Tailoring the magnetic properties and magnetorheological behavior of spinel nanocrystalline cobalt ferrite by varying annealing temperature, DALTON T, vol. 43(18), pp. 6919-6924, , (2014) 10.1039/C4DT00166D
[27.3] Dascalu, G; Popescu, T; Feder, M; Caltun, OF, Structural, electric and magnetic properties of CoFe1.8RE0.2O4 (RE=Dy, Gd, La) bulk materials, J MAGN MAGN MATER, vol. 333, pp. 69-74, , (2013) 10.1016/J.JMMM.2012.12.048
[27.4] Dascalu, G; Pompilian, G; Chazallon, B; Nica, V; Caltun, OF; Gurlui, S; Focsa, C, Rare earth doped cobalt ferrite thin films deposited by PLD, APPL PHYS A-MATER, vol. 110(4), pp. 915-922, , (2013) 10.1007/S00339-012-7196-8
[27.5] Predeep, P; Prasad, AS; Dolia, SN; Dhawan, MS; Das, D; Chaudhuri, SK; Ghose, V, Nanocrystalline Spinel MnxCu1-xFe2O4 Ferrites-Synthesis and Structural Elucidation Using X-Ray Diffraction and Positron Annihilation Techniques, IEEE T MAGN, vol. 46(3), pp. 847-851, , (2010) 10.1109/TMAG.2009.2031109
autori=10 autori_eff=6.667 AIS=0.384 prim=0.000 inf=0.058 citari/valide=5 / 5 cit=0.750
---
[28] Caltun, O; Dumitru, I; Feder, M; Lupu, N; Chiriac, H, Substituted cobalt ferrites for sensors applications, J MAGN MAGN MATER, vol. 320(20), pp. E869-E873, (2008) 10.1016/J.JMMM.2008.04.067
[28.1] Abdallah, HMI; Moyo, T; Ngema, N, The effect of temperature on the structure and magnetic properties of Co0.5Ni0.5Fe2O4 spinel nanoferrite, J MAGN MAGN MATER, vol. 394, pp. 223-228, , (2015) 10.1016/J.JMMM.2015.06.061
[28.2] Corral-Flores, V; Bueno-Baques, D; Glushchenko, AV; Ziolo, RF; Matutes-Aquino, JA; Sato-Turtelli, R; Grossinger, R, Magnetic Properties of Spinel Cobalt-Manganese Ferrites, IEEE T MAGN, vol. 51(4), art.no. 2500604, (2015) 10.1109/TMAG.2014.2357172
[28.3] Maurya, JC; Bhoraskar, SV; Mathe, VL, Effect of manganese substitution on magnetoimpedance and magnetostriction of cobalt ferrites, PHYSICA B, vol. 436, pp. 220-226, , (2014) 10.1016/J.PHYSB.2013.11.029
[28.4] Mohaideen, KK; Joy, PA, High magnetostriction coefficient of Mn substituted cobalt ferrite sintered from nanocrystalline powders and after magnetic field annealing, CURR APPL PHYS, vol. 13(8), pp. 1697-1701, , (2013) 10.1016/J.CAP.2013.06.030
[28.5] Sodaee, T; Ghasemi, A; Paimozd, E; Paesano, A; Morisako, A, The role of terbium cation substitution on the magnetic properties of cobalt ferrite nanoparticles, J MAGN MAGN MATER, vol. 330, pp. 169-173, , (2013) 10.1016/J.JMMM.2012.10.050
[28.6] Hunyek, A; Sirisathitkul, C; Harding, P; Harding, DJ, Structural and magnetic properties of cobalt ferrites synthesized using sol-gel techniques, MATER SCI-POLAND, vol. 30(3), pp. 278-281, , (2012) 10.2478/S13536-012-0035-Y

[28.7] Kulawik, J; Szwagierczak, D; Guzdek, P, Magnetic, magnetoelectric and dielectric behavior of CoFe2O4-Pb (Fe1/2Nb1/2)O-3 particulate and layered composites, J MAGN MAGN MATER, vol. 324(19), pp. 3052-3057, , (2012) 10.1016/J.JMMM.2012.04.056
[28.8] Shobana, MK, Electrical and structural studies of lithium doped cobalt ferrite, J PHYS CHEM SOLIDS, vol. 73(8), pp. 1040-1043, , (2012) 10.1016/J.JPCS.2012.03.009
[28.9] Kulawik, J; Szwagierczak, D; Guzdek, P, Multiferroic Cobalt Ferrite-Lead Iron Tungstate Composites, ACTA PHYS POL A, vol. 121(1), pp. 122-124, , (2012)
[28.10] Mehmood, N; Grossinger, R; Turtelli, RS; Raza, MA; Khan, SA; Choudry, SR, Co-ferrite (CoFe2O4): A material with high magnetostriction produced by sol-gel method, ADV MATER RES-SWITZ, vol. 326, pp. 157-164, , (2011) 10.4028/WWW.SCIENTIFIC.NET/AMR.326.157
[28.11] Singhal, S; Jauhar, S, Comparative Study of Structural and Magnetic Properties of Soft Ferrites (MFe(2)O(4): M = Co, Ni, Zn, Mg) Synthesized via Aerosol Method, AIP CONF PROC, vol. 1393, , (2011) 10.1063/1.3653672
[28.12] Yousefi, MH; Manouchehri, S; Arab, A; Mozaffari, M; Amiri, GR; Amighian, J, Preparation of cobalt-zinc ferrite (Co0.8Zn0.2Fe2O4) nanopowder via combustion method and investigation of its magnetic properties, MATER RES BULL, vol. 45(12), pp. 1792-1795, , (2010) 10.1016/J.MATERRESBULL.2010.09.018
[28.13] Mathe, VL; Sheikh, AD, Magnetostrictive properties of nanocrystalline Co-Ni ferrites, PHYSICA B, vol. 405(17), pp. 3594-3598, , (2010) 10.1016/J.PHYSB.2010.05.047
[28.14] Gupta, A; Chatterjee, R, Study of dielectric and magnetic properties of PbZr0.52Ti0.48O3-Mn0.3Co0.6Zn0.4Fe1.7O4 composite, J MAGN MAGN MATER, vol. 322(8), pp. 1020-1025, , (2010) 10.1016/J.JMMM.2009.12.007
[28.15] Goh, SC; Chia, CH; Zakaria, S; Yusoff, M; Haw, CY; Ahmadi, S; Huang, NM; Lim, HN, Hydrothermal preparation of high saturation magnetization and coercivity cobalt ferrite nanocrystals without subsequent calcination, MATER CHEM PHYS, vol. 120(1), pp. 31-35, , (2010) 10.1016/J.MATCHEMPHYS.2009.10.016
[28.16] El-Dek, SI, Effect of annealing temperature on the magnetic properties of CoFe2O4 nanoparticles, PHIL MAG LETT, vol. 90(4), pp. 233-240, , (2010) 10.1080/09500831003630732
[28.17] Cedeno-Mattei, Y; Perales-Perez, O; Osorio-Cantillo, C; Uwakweh, ONC, Effect of Rare Earth Doping on Magnetic Properties of Cobalt Ferrite Nanocrystals, , vol. , pp. 109-112, , (2009)
autori=5 autori_eff=5.000 AIS=0.460 prim=0.000 inf=0.092 citari/valide=17 / 17 cit=3.400
---
[29] Caltun, O; Dumitru, I; Feder, M; Diamandescu, L; Bibicu, I; Vasiliu, F; Lupu, N; Vilceanu, V, The influence of chemical composition on magnetic properties and magnetostriction coefficient of cobalt ferrites, J OPTOELECTRON ADV M, vol. 10(7), pp. 1775-1778, (2008)
autori=8 autori_eff=6.000 AIS=0.113 prim=0.000 inf=0.019 citari/valide=0 / 0 cit=0.000
---
[30] Mitoseriu, L; Cioniaga, CE; Dumitru, I; Curecberiu, LP; Prihor, F; Guzu, A, Study of the frequency-dependence of the complex permittivity in Ba(Zr, Ti)O(3) ceramics: evidences of the grain boundary phenomena, J OPTOELECTRON ADV M, vol. 10(7), pp. 1843-1846, (2008)
[30.1] Deluca, M; Vasilescu, CA; Ianculescu, AC; Berger, DC; Ciomaga, CE; Curecheriu, LP; Stoleriu, L; Gajovic, A; Mitoseriu, L; Galassi, C, Investigation of the composition-dependent properties of BaTi1-xZrxO3 ceramics prepared by the modified Pechini method, J EUR CERAM SOC, vol. 32(13), pp. 3551-3566, , (2012) 10.1016/J.JEURCERAMSOC.2012.05.007
[30.2] Ianculescu, A; Mitoseriu, L, BA(TI,ZR)O-3 - FUNCTIONAL MATERIALS: FROM NANOPOWDERS TO BULK CERAMICS, ADV NANOTECHNOL, vol. 3, pp. 59-120, , (2010)
[30.3] Ianculescu, A; Mitoseriu, L, Ba(Ti,Zr)O3-Functional Materials: From Nanopowders to Bulk Ceramics, NANOTECHNOL SCI TECH, vol. , pp. 1-99, , (2010)
autori=6 autori_eff=5.333 AIS=0.113 prim=0.000 inf=0.021 citari/valide=3 / 3 cit=0.563
---

[31] Palamaru, MN; Iordan, AR; Aruxandei, CD; Gorodea, IA; Perianu, EA; Dumitru, I; Feder, M; Caltun, OF, The synthesis of doped manganese cobalt ferrites by auto combustion technique, J OPTOELECTRON ADV M, vol. 10(7), pp. 1853-1856, (2008)

[31.1] Khan, K; Rehman, S, Microwave absorbance properties of zirconium-manganese substituted cobalt nanoferrite as electromagnetic (EM) wave absorbers, MATER RES BULL, vol. 50, pp. 454-461, , (2014) 10.1016/J.MATERRESBULL.2013.11.018

[31.2] Liu, Y; Zhang, L; Gan, ZP; Ma, LY; Min, FF; Zhang, MX, Effect of Zn2+ concentration on the microstructure and magnetic properties of nanocrystalline Co1-xZnxFe2O4 ferrites powder, OPTOELECTRON ADV MAT, vol. 6(7-8), pp. 738-741, , (2012)

[31.3] Deligoz, H; Baykal, A; Tanriverdi, EE; Durmus, Z; Toprak, MS, Synthesis, structural and electrical properties of triethylene glycol (TREG) stabilized Mn0.2Co0.8Fe2O4 NPs, MATER RES BULL, vol. 47(3), pp. 537-543, , (2012) 10.1016/J.MATERRESBULL.2011.12.050

[31.4] Iordan, AR; Airimioaiei, M; Palamaru, MN; Galassi, C; Sandu, AV; Ciomaga, CE; Prihor, F; Mitoseriu, L; Ianculescu, A, In situ preparation of CoFe2O4-Pb(ZrTi)O-3 multiferroic composites by gel-combustion technique, J EUR CERAM SOC, vol. 29(13), pp. 2807-2813, , (2009) 10.1016/J.JEURCERAMSOC.2009.03.031

[31.5] Shobana, MK; Sankar, S, Characterization of sol-gel-prepared nanoferrites, J MAGN MAGN MATER, vol. 321(6), pp. 599-601, , (2009) 10.1016/J.JMMM.2008.09.040

autori=8 autori_eff=6.000 AIS=0.113 prim=0.000 inf=0.019 citari/valide=5 / 5 cit=0.833

---

[32] Astefanoaei, I; Dumitru, I; Diaconu, A; Spinu, L; Stancu, A, The temperature dependence of hysteretic processes in Co nanowires arrays, J APPL PHYS, vol. 103(7), art.no. 07D930, (2008) 10.1063/1.2837500

autori=5 autori_eff=5.000 AIS=0.945 prim=0.000 inf=0.189 citari/valide=0 / 0 cit=0.000

---

[33] Dumitru, I; Astefanoaei, I; Grimberg, R; Stancu, A, The energy states of cylindrical quantum dot systems, J OPTOELECTRON ADV M, vol. 10(2), pp. 327-330, (2008)

autori=4 autori_eff=4.000 AIS=0.113 prim=0.113 inf=0.028 citari/valide=0 / 0 cit=0.000

---

[34] Pires, MJM; Denardin, JC; Dumitru, I; Spinu, L, Ferromagnetic resonance studies in Co/SiO2 multilayers, APPL SURF SCI, vol. 254(1), pp. 351-354, (2007) 10.1016/J.APSUSC.2007.07.035

[34.1] Bernstorff, S; Holy, V; Endres, J; Vales, V; Sobota, J; Siketic, Z; Bogdanovic-Radovic, I; Buljan, M; Drazic, G, Co nanocrystals in amorphous multilayers - a structure study, J APPL CRYSTALLOGR, vol. 46, pp. 1711-1721, , (2013) 10.1107/S0021889813026836

[34.2] Maklakov, SS; Maklakov, SA; Ryzhikov, IA; Rozanov, KN; Osipov, AV, Thin Co films with tunable ferromagnetic resonance frequency, J MAGN MAGN MATER, vol. 324(13), pp. 2108-2112, , (2012) 10.1016/J.JMMM.2012.02.020

autori=4 autori_eff=4.000 AIS=0.527 prim=0.000 inf=0.132 citari/valide=2 / 2 cit=0.500

---

[35] Astefanoaei, I; Dumitru, I; Grimberg, R; Stancu, A, The energetic states of quantum dots in the presence of a metallic layer, J MAGN MAGN MATER, vol. 316(2), pp. E273-E275, (2007) 10.1016/J.JMMM.2007.02.101

autori=4 autori_eff=4.000 AIS=0.497 prim=0.000 inf=0.124 citari/valide=0 / 0 cit=0.000

---

[36] Caltun, O; Rao, GSN; Rao, KH; Rao, BP; Dumitru, I; Kim, CO; Kim, C, The influence of Mn doping level on magnetostriction coefficient of cobalt ferrite, J MAGN MAGN MATER, vol. 316(2), pp. E618-E620, (2007) 10.1016/J.JMMM.2007.03.045

[36.1] Tsay, CY; Lin, YH; Jen, SU, Magnetic, magnetostrictive, and AC impedance properties of

manganese substituted cobalt ferrites, CERAM INT, vol. 41(4), pp. 5531-5536, , (2015) 10.1016/J.CERAMINT.2014.12.129

[36.2] Corral-Flores, V; Bueno-Baques, D; Glushchenko, AV; Ziolo, RF; Matutes-Aquino, JA; Sato-Turtelli, R; Grossinger, R, Magnetic Properties of Spinel Cobalt-Manganese Ferrites, IEEE T MAGN, vol. 51(4), art.no. 2500604, (2015) 10.1109/TMAG.2014.2357172

[36.3] Negi, NS; Sharma, A; Shah, J; Kotnala, RK, Investigation on impedance response, magnetic and ferroelectric properties of 0.20(Co1-xZnxFe2-yMnyO4)-0.80(Pb0.70Ca0.30TiO3) magnetoelectric composites, MATER CHEM PHYS, vol. 148(3), pp. 1221-1229, , (2014) 10.1016/J.MATCHEMPHYS.2014.09.051

[36.4] Mohaideen, KK; Joy, PA, High magnetostriction parameters for low-temperature sintered cobalt ferrite obtained by two-stage sintering, J MAGN MAGN MATER, vol. 371, pp. 121-129, , (2014) 10.1016/J.JMMM.2014.07.013

[36.5] Phumying, S; Phokha, S; Maensiri, S, Structure and Magnetic Properties of Mn-doped CoFe2O4 Nanoparticles Prepared by Solvothermal Route, J SUPERCOND NOV MAGN, vol. 27(11), pp. 2573-2579, , (2014) 10.1007/S10948-014-2604-2

[36.6] Jauhar, S; Singhal, S; Dhiman, M, Manganese substituted cobalt ferrites as efficient catalysts for H2O2 assisted degradation of cationic and anionic dyes: Their synthesis and characterization, APPL CATAL A-GEN, vol. 486, pp. 210-218, , (2014) 10.1016/J.APCATA.2014.08.020

[36.7] Liu, TT; Wang, Z; Mao, J; Cheng, NN; Ni, LJ, The converse magnetoelectric characteristics of Mn and Mg doped CoFe2O4-PbTiO3 composites, J APPL PHYS, vol. 115(17), art.no. 17C729, (2014) 10.1063/1.4867347

[36.8] Maurya, JC; Bhoraskar, SV; Mathe, VL, Effect of manganese substitution on magnetoimpedance and magnetostriction of cobalt ferrites, PHYSICA B, vol. 436, pp. 220-226, , (2014) 10.1016/J.PHYSB.2013.11.029

[36.9] Roongtao, R; Baitahe, R; Vittayakorn, N; Seeharaj, P; Vittayakorn, WC, Influence of Mn Doping on the Magnetic Properties of CoFe2O4, FERROELECTRICS, vol. 459(1), pp. 119-127, , (2014) 10.1080/00150193.2013.849175

[36.10] Mohaideen, KK; Joy, PA, Influence of initial particle size on the magnetostriction of sintered cobalt ferrite derived from nanocrystalline powders, J MAGN MAGN MATER, vol. 346, pp. 96-102, , (2013) 10.1016/J.JMMM.2013.07.016

[36.11] Rao, GSN; Caltun, OF; Rao, KH; Rao, PSVS; Rao, BP, Improved magnetostrictive properties of Co-Mn ferrites for automobile torque sensor applications, J MAGN MAGN MATER, vol. 341, pp. 60-64, , (2013) 10.1016/J.JMMM.2013.04.039

[36.12] Shirsath, SE; Mane, ML; Ghasemi, A; Yasukawa, Y; Liu, XX; Morisako, A, Structural and Magnetic Properties of Mn3+ Substituted Ordered and Disordered Li0.5Cr0.5Fe2O4 Nanoparticles, IEEE T MAGN, vol. 49(7), pp. 4210-4213, , (2013) 10.1109/TMAG.2013.2245634

[36.13] Atif, M; Turtelli, RS; Grossinger, R; Kubel, F, Influence of manganese substitution on the microstructure and magnetostrictive properties of Co1-xMnxFe2O4 (x=0.0-0.4) ferrite, J APPL PHYS, vol. 113(15), art.no. 153902, (2013) 10.1063/1.4802435

[36.14] Yadav, SP; Shinde, SS; Kadam, AA; Rajpure, KY, Structural, morphological, dielectrical, magnetic and impedance properties of Co1-xMnxFe2O4, J ALLOY COMPD, vol. 555, pp. 330-334, , (2013) 10.1016/J.JALLCOM.2012.12.089

[36.15] Abdallah, HMI; Moyo, T, The Influence of Annealing Temperature on the Magnetic Properties of Mn0.5Co0.5Fe2O4 Nanoferrites Synthesized via Mechanical Milling Method, J SUPERCOND NOV MAGN, vol. 26(4), pp. 1361-1367, , (2013) 10.1007/S10948-012-1878-5

[36.16] Anis-ur-Rehman, M; Zeb-un-Nisa; Ansari, M; Maqsood, A, Synthesis and Characterization of Nano Particles of Mn-Co Ferrites for Technological Applications, KEY ENG MATER, vol. 547, pp. 1-6, , (2013) 10.4028/WWW.SCIENTIFIC.NET/KEM.547.1

[36.17] Mohaideen, KK; Joy, PA, Enhancement in the Magnetostriction of Sintered Cobalt Ferrite by Making Self-Composites from Nanocrystalline and Bulk Powders, ACS APPL MATER INTER, vol. 4(12), pp. 6421-6425, , (2012) 10.1021/AM302053Q

[36.18] Abdallah, HMI; Msomi, JZ; Moyo, T; Lancok, A, Mossbauer and Magnetic Studies of Co0.5Mn0.5Fe2O4 and Mn0.1Mg0.2Co0.7 Fe2O4 Nanoferrites, J SUPERCOND NOV MAGN, vol. 25(8), pp.

2619-2623, , (2012) 10.1007/S10948-011-1230-5
[36.19] Salah, LM; Moustafa, AM; Farag, ISA, Structural characteristics and electrical properties of copper doped manganese ferrite, CERAM INT, vol. 38(7), pp. 5605-5611, , (2012) 10.1016/J.CERAMINT.2012.04.001
[36.20] Sutar, MM; Tarale, AN; Jigajeni, SR; Kulkarni, SB; Reddy, VR; Joshi, PB, Magnetoelectric and magnetodielectric effect in Ba1-xSrxTiO3 and Co0.9Ni0.1Fe2-xMnxO4 composites, SOLID STATE SCI, vol. 14(8), pp. 1064-1070, , (2012) 10.1016/J.SOLIDSTATESCIENCES.2012.05.016
[36.21] Ramay, SM; Saleem, M; Atiq, S; Siddiqi, SA; Naseem, S; Anwar, MS, Influence of temperature on structural and magnetic properties of Co0.5Mn0.5Fe2O4 ferrites, B MATER SCI, vol. 34(7), pp. 1415-1419, , (2011)
[36.22] Gupta, A; Huang, A; Shannigrahi, S; Chatterjee, R, Improved magnetoelectric coupling in Mn and Zn doped CoFe2O4-PbZr0.52Ti0.48O3 particulate composite, APPL PHYS LETT, vol. 98(11), art.no. 112901, (2011) 10.1063/1.3562949
[36.23] Abdallah, HMI; Moyo, T; Msomi, JZ, Mossbauer and Electrical Studies of MnxCo1-xFe2O4 Compounds Prepared via Glycothermal Route, J SUPERCOND NOV MAGN, vol. 24(1-2), pp. 669-673, , (2011) 10.1007/S10948-010-0931-5
[36.24] Mane, DR; Birajdar, DD; Shirsath, SE; Telugu, RA; Kadam, RH, Structural and magnetic characterizations of Mn-Ni-Zn ferrite nanoparticles, PHYS STATUS SOLIDI A, vol. 207(10), pp. 2355-2363, , (2010) 10.1002/PSSA.201026079
[36.25] Mathe, VL; Sheikh, AD, Magnetostrictive properties of nanocrystalline Co-Ni ferrites, PHYSICA B, vol. 405(17), pp. 3594-3598, , (2010) 10.1016/J.PHYSB.2010.05.047
[36.26] Gupta, A; Chatterjee, R, Study of dielectric and magnetic properties of PbZr0.52Ti0.48O3-Mn0.3Co0.6Zn0.4Fe1.7O4 composite, J MAGN MAGN MATER, vol. 322(8), pp. 1020-1025, , (2010) 10.1016/J.JMMM.2009.12.007
[36.27] Kambale, RC; Shaikh, PA; Harale, NS; Bilur, VA; Kolekar, YD; Bhosale, CH; Rajpure, KY, Structural and magnetic properties of Co1-xMnxFe2O4 (0 <= x <= 0.4) spinel ferrites synthesized by combustion route, J ALLOY COMPD, vol. 490(1-2), pp. 568-571, , (2010) 10.1016/J.JALLCOM.2009.10.082
[36.28] Rao, GSN; Caltun, OF; Rao, KH; Rao, BP; Hamdeh, HH, Compositional Dependence of Magnetostrictive Properties of Cobalt Ferrite, AIP CONF PROC, vol. 1347, pp. 293-296, , (2010) 10.1063/1.3601839
[36.29] Kambale, RC; Shaikh, PA; Bhosale, CH; Rajpure, KY; Kolekar, YD, The effect of Mn substitution on the magnetic and dielectric properties of cobalt ferrite synthesized by an autocombustion route, SMART MATER STRUCT, vol. 18(11), art.no. 115028, (2009) 10.1088/0964-1726/18/11/115028
[36.30] Shobana, MK; Sankar, S, Synthesis and characterization of Ni1-xCoxFe2O4 nanoparticles, J MAGN MAGN MATER, vol. 321(19), pp. 3132-3137, , (2009) 10.1016/J.JMMM.2009.05.018
[36.31] Verma, V; Gairola, SP; Mathpal, MC; Annapoorni, S; Kotnala, RK, Magnetic and electrical properties of manganese and cadmium co-substituted lithium ferrites, J ALLOY COMPD, vol. 481(1-2), pp. 872-876, , (2009) 10.1016/J.JALLCOM.2009.03.143
[36.32] Shobana, MK; Sankar, S; Rajendran, V, Characterization of Co0.5Mn0.5Fe2O4 nanoparticles, MATER CHEM PHYS, vol. 113(1), pp. 10-13, , (2009) 10.1016/J.MATCHEMPHYS.2008.07.083
[36.33] Cedeno-Mattei, Y; Perales-Perez, O; Osorio-Cantillo, C; Uwakweh, ONC, Effect of Rare Earth Doping on Magnetic Properties of Cobalt Ferrite Nanocrystals, , vol. , pp. 109-112, , (2009)
autori=7 autori_eff=5.667 AIS=0.497 prim=0.000 inf=0.088 citari/valide=33 / 33 cit=5.824
---
[37] Dumitru, I; Stancu, A, The history of magnetization process influence on FMR response of particle systems, J MAGN MAGN MATER, vol. 316(2), pp. E323-E326, (2007) 10.1016/J.JMMM.2007.02.136
autori=2 autori_eff=2.000 AIS=0.497 prim=0.497 inf=0.248 citari/valide=0 / 0 cit=0.000
---
[38] Caltun, O; Chiriac, H; Lupu, N; Dumitru, I; Rao, BP, High magnetostrictive doped cobalt ferrite, J OPTOELECTRON ADV M, vol. 9(4), pp. 1158-1160, (2007)
[38.1] Adeela, N; Maaz, K; Khan, U; Karim, S; Nisar, A; Ahmad, M; Ali, G; Han, XF; Duan, JL; Liu,

J, Influence of manganese substitution on structural and magnetic properties of CoFe2O4 nanoparticles, J ALLOY COMPD, vol. 639, pp. 533-540, , (2015) 10.1016/J.JALLCOM.2015.03.203

[38.2] Negi, NS; Sharma, A; Shah, J; Kotnala, RK, Investigation on impedance response, magnetic and ferroelectric properties of 0.20(Co1-xZnxFe2-yMnyO4)-0.80(Pb0.70Ca0.30TiO3) magnetoelectric composites, MATER CHEM PHYS, vol. 148(3), pp. 1221-1229, , (2014) 10.1016/J.MATCHEMPHYS.2014.09.051

[38.3] Kolekar, YD; Sanchez, LJ; Ramana, CV, Dielectric relaxations and alternating current conductivity in manganese substituted cobalt ferrite, J APPL PHYS, vol. 115(14), art.no. 144106, (2014) 10.1063/1.4870232

[38.4] Choi, WO; Lee, JG; Kang, BS; Chae, KP, Crystallographic and Magnetic Properties of Nano-sized Nickel Substituted Cobalt Ferrites Synthesized by the Sol-gel Method, J MAGN, vol. 19(1), pp. 59-63, , (2014) 10.4283/JMAG.2014.19.1.059

[38.5] Khan, K; Rehman, S, Microwave absorbance properties of zirconium-manganese substituted cobalt nanoferrite as electromagnetic (EM) wave absorbers, MATER RES BULL, vol. 50, pp. 454-461, , (2014) 10.1016/J.MATERRESBULL.2013.11.018

[38.6] Ramana, CV; Kolekar, YD; Bharathi, KK; Sinha, B; Ghosh, K, Correlation between structural, magnetic, and dielectric properties of manganese substituted cobalt ferrite, J APPL PHYS, vol. 114(18), art.no. 183907, (2013) 10.1063/1.4827416

[38.7] Mohaideen, KK; Joy, PA, High magnetostriction coefficient of Mn substituted cobalt ferrite sintered from nanocrystalline powders and after magnetic field annealing, CURR APPL PHYS, vol. 13(8), pp. 1697-1701, , (2013) 10.1016/J.CAP.2013.06.030

[38.8] Rao, GSN; Caltun, OF; Rao, KH; Rao, PSVS; Rao, BP, Improved magnetostrictive properties of Co-Mn ferrites for automobile torque sensor applications, J MAGN MAGN MATER, vol. 341, pp. 60-64, , (2013) 10.1016/J.JMMM.2013.04.039

[38.9] Sozeri, H; Kurtan, U; Topkaya, R; Baykal, A; Toprak, MS, Polyaniline (PANI)-Co0.5Mn0.5Fe2O4 nanocomposite: Synthesis, characterization and magnetic properties evaluation, CERAM INT, vol. 39(5), pp. 5137-5143, , (2013) 10.1016/J.CERAMINT.2012.12.009

[38.10] Jigajeni, SR; Tarale, AN; Salunkhe, DJ; Joshi, PB; Kulkarni, SB, Dielectric, magnetoelectric and magnetodielectric properties in CMFO-SBN composites, CERAM INT, vol. 39(3), pp. 2331-2341, , (2013) 10.1016/J.CERAMINT.2012.08.081

[38.11] Jigajeni, SR; Sutar, MM; Salunkhe, SM; Joshi, PB, Investigation on magnetoelectric and dielectric properties of Co0.9Mn0.3Fe1.8O4-Sr0.5Ba0.5Nb2O6 composites, J MATER SCI-MATER EL, vol. 23(9), pp. 1678-1687, , (2012) 10.1007/S10854-012-0646-4

[38.12] Cojocariu, AM; Soroceanu, M; Hrib, L; Nica, V; Caltun, OF, Microstructure and magnetic properties of substituted (Cr, Mn) - cobalt ferrite nanoparticles, MATER CHEM PHYS, vol. 135(2-3), pp. 728-732, , (2012) 10.1016/J.MATCHEMPHYS.2012.05.051

[38.13] Deligoz, H; Baykal, A; Tanriverdi, EE; Durmus, Z; Toprak, MS, Synthesis, structural and electrical properties of triethylene glycol (TREG) stabilized Mn0.2Co0.8Fe2O4 NPs, MATER RES BULL, vol. 47(3), pp. 537-543, , (2012) 10.1016/J.MATERRESBULL.2011.12.050

[38.14] Roumaih, K, Magnetic properties of Ni-Cu-Mn ferrite system, J MOL STRUCT, vol. 1004(1-3), pp. 1-7, , (2011) 10.1016/J.MOLSTRUC.2011.06.007

[38.15] Hrib, LM; Caltun, OF, Effects of the chemical composition of the magnetostrictive phase on the dielectric and magnetoelectric properties of cobalt ferrite-barium titanate composites, J ALLOY COMPD, vol. 509(23), pp. 6644-6648, , (2011) 10.1016/J.JALLCOM.2011.03.121

[38.16] Mane, DR; Birajdar, DD; Patil, S; Shirsath, SE; Kadam, RH, Redistribution of cations and enhancement in magnetic properties of sol-gel synthesized Cu0.7-x Co (x) Zn0.3Fe2O4 (0 a parts per thousand currency sign x a parts per thousand currency sign 0.5), J SOL-GEL SCI TECHN, vol. 58(1), pp. 70-79, , (2011) 10.1007/S10971-010-2357-8

[38.17] Sutar, MM; Kokare, SR; Kshirsagar, SH; Salunkhe, DJ; Joshi, PB, Synthesis and Magnetoelectric Studies on BSN-CNFM ME Composites, AIP CONF PROC, vol. 1372, , (2011) 10.1063/1.3644447

[38.18] Shaikh, PA; Kambale, RC; Rao, AV; Kolekar, YD, Structural, magnetic and electrical properties of Co-Ni-Mn ferrites synthesized by co-precipitation method, J ALLOY COMPD, vol. 492(1-2), pp.

590-596, , (2010) 10.1016/J.JALLCOM.2009.11.189
[38.19] Kambale, RC; Shaikh, PA; Harale, NS; Bilur, VA; Kolekar, YD; Bhosale, CH; Rajpure, KY, Structural and magnetic properties of Co1-xMnxFe2O4 (0 <= x <= 0.4) spinel ferrites synthesized by combustion route, J ALLOY COMPD, vol. 490(1-2), pp. 568-571, , (2010) 10.1016/J.JALLCOM.2009.10.082
[38.20] Miclea, C; Tanasoiu, C; Amarande, L; Miclea, CF; Plavitu, C; Cioangher, M; Trupina, L; Miclea, CT; Tanasoiu, T; Susu, M; Voicu, I; Malczanek, V; Ivanov, A; David, C, Magnetoelectric properties of multiferroic cobalt ferrite and soft piezoelectric PZT particulate composites, J OPTOELECTRON ADV M, vol. 12(2), pp. 272-276, , (2010)
[38.21] Shobana, MK; Sankar, S, Synthesis and characterization of Ni1-xCoxFe2O4 nanoparticles, J MAGN MAGN MATER, vol. 321(19), pp. 3132-3137, , (2009) 10.1016/J.JMMM.2009.05.018
[38.22] Shaikh, PA; Kambale, RC; Rao, AV; Kolekar, YD, Studies on structural and electrical properties of Co1-xNixFe1.9Mn0.1O4 ferrite, J ALLOY COMPD, vol. 482(1-2), pp. 276-282, , (2009) 10.1016/J.JALLCOM.2009.03.187
[38.23] Shobana, MK; Sankar, S, Characterization of sol-gel-prepared nanoferrites, J MAGN MAGN MATER, vol. 321(6), pp. 599-601, , (2009) 10.1016/J.JMMM.2008.09.040
autori=5 autori_eff=5.000 AIS=0.139 prim=0.000 inf=0.028 citari/valide=23 / 23 cit=4.600
---
[39] Caltun, OF; Rao, GSN; Rao, KH; Rao, BP; Kim, C; Kim, CO; Dumitru, I; Lupu, N; Chiriac, H, High magnetostrictive cobalt ferrite for sensor applications, SENS LETT, vol. 5(1), pp. 45-47, (2007) 10.1166/SL.2007.027
[39.1] Rathore, D; Kurchania, R; Pandey, RK, Gas Sensing Properties of Size Varying CoFe2O4 Nanoparticles, IEEE SENS J, vol. 15(9), pp. 4961-4966, , (2015) 10.1109/JSEN.2015.2432035
[39.2] Adeela, N; Maaz, K; Khan, U; Karim, S; Nisar, A; Ahmad, M; Ali, G; Han, XF; Duan, JL; Liu, J, Influence of manganese substitution on structural and magnetic properties of CoFe2O4 nanoparticles, J ALLOY COMPD, vol. 639, pp. 533-540, , (2015) 10.1016/J.JALLCOM.2015.03.203
[39.3] Manikandan, A; Durka, M; Antony, SA, A Novel Synthesis, Structural, Morphological, and Opto-magnetic Characterizations of Magnetically Separable Spinel CoxMn1-xFe2O4 (0 <= x <= 1) Nano-catalysts, J SUPERCOND NOV MAGN, vol. 27(12), pp. 2841-2857, , (2014) 10.1007/S10948-014-2771-1
[39.4] Maurya, JC; Bhoraskar, SV; Mathe, VL, Effect of manganese substitution on magnetoimpedance and magnetostriction of cobalt ferrites, PHYSICA B, vol. 436, pp. 220-226, , (2014) 10.1016/J.PHYSB.2013.11.029
[39.5] Salunkhe, AB; Khot, VM; Phadatare, MR; Thorat, ND; Joshi, RS; Yadav, HM; Pawar, SH, Low temperature combustion synthesis and magnetostructural properties of Co-Mn nanoferrites, J MAGN MAGN MATER, vol. 352, pp. 91-98, , (2014) 10.1010/J.JMMM.2013.09.020
[39.6] Nlebedim, IC; Jiles, DC, Effect of Mg-substitution on the Magnetic Properties of Cobalt Ferrite, KEY ENG MATER, vol. 605, pp. 287-289, , (2014) 10.4028/WWW.SCIENTIFIC.NET/KEM.605.287
[39.7] Khandekar, MS; Tarwal, NL; Mulla, IS; Suryavanshi, SS, Nanocrystalline Ce doped CoFe2O4 as an acetone gas sensor, CERAM INT, vol. 40(1), pp. 447-452, , (2014) 10.1016/J.CERAMINT.2013.06.021
[39.8] Mukherjee, D; Hordagoda, M; Hyde, R; Bingham, N; Srikanth, H; Witanachchi, S; Mukherjee, P, Nanocolumnar Interfaces and Enhanced Magnetic Coercivity in Preferentially oriented Cobalt Ferrite Thin Films Grown Using Oblique-Angle Pulsed Laser Deposition, ACS APPL MATER INTER, vol. 5(15), pp. 7450-7457, , (2013) 10.1021/AM401771Z
[39.9] Yadav, SP; Shinde, SS; Kadam, AA; Rajpure, KY, Structural, morphological, dielectrical, magnetic and impedance properties of Co1-xMnxFe2O4, J ALLOY COMPD, vol. 555, pp. 330-334, , (2013) 10.1016/J.JALLCOM.2012.12.089
[39.10] Deligoz, H; Baykal, A; Tanriverdi, EE; Durmus, Z; Toprak, MS, Synthesis, structural and electrical properties of triethylene glycol (TREG) stabilized Mn0.2Co0.8Fe2O4 NPs, MATER RES BULL, vol. 47(3), pp. 537-543, , (2012) 10.1016/J.MATERRESBULL.2011.12.050
[39.11] Fu, JC; Zhang, JL; Peng, Y; Zhao, JG; Tan, GG; Mellors, NJ; Xie, EQ; Han, WH, Unique magnetic properties and magnetization reversal process of CoFe2O4 nanotubes fabricated by electrospinning, NANOSCALE, vol. 4(13), pp. 3932-3936, , (2012) 10.1039/C2NR30487B

[39.12] Ramay, SM; Saleem, M; Atiq, S; Siddiqi, SA; Naseem, S; Anwar, MS, Influence of temperature on structural and magnetic properties of Co0.5Mn0.5Fe2O4 ferrites, B MATER SCI, vol. 34(7), pp. 1415-1419, , (2011)

[39.13] Mukherjee, D; Dhakal, T; Phan, MH; Srikanth, H; Mukherjee, P; Witanachchi, S, Role of crystal orientation on the magnetic properties of CoFe2O4 thin films grown on Si (100) and Al2O3 (0001) substrates using pulsed laser deposition, PHYSICA B, vol. 406(13), pp. 2663-2668, , (2011) 10.1016/J.PHYSB.2011.03.080

[39.14] Devi, PI; Rajkumar, N; Renganathan, B; Sastikumar, D; Ramachandran, K, Ethanol Gas Sensing of Mn-Doped CoFe2O4 Nanoparticles, IEEE SENS J, vol. 11(6), pp. 1395-1402, , (2011) 10.1109/JSEN.2010.2093881

[39.15] Zolotaryov, A; Goetze, S; Bachmann, J; Goerlitz, D; Hesse, D; Nielsch, K, Ferromagnetism and Morphology of Annealed Fe2O3/CoXOY/ZnO Thin Films, ADV ENG MATER, vol. 13(4), pp. 330-335, , (2011) 10.1002/ADEM.201000271

[39.16] Bagum, N; Gafur, MA; Bhuiyan, AH; Saha, DK, MgCl(2) doped Cu(x)Zn(1-x)Fe(2)O(4) ferrite humidity sensors, PHYS STATUS SOLIDI A, vol. 207(4), pp. 986-992, , (2010) 10.1002/PSSA.200925257

[39.17] Gao, XS; Bao, DH; Birajdar, B; Habisreuther, T; Mattheis, R; Schubert, MA; Alexe, M; Hesse, D, Switching of magnetic anisotropy in epitaxial CoFe2O4 thin films induced by SrRuO3 buffer layer, J PHYS D APPL PHYS, vol. 42(17), art.no. 175006, (2009) 10.1088/0022-3727/42/17/175006

[39.18] Shobana, MK; Sankar, S; Rajendran, V, Characterization of Co0.5Mn0.5Fe2O4 nanoparticles, MATER CHEM PHYS, vol. 113(1), pp. 10-13, , (2009) 10.1016/J.MATCHEMPHYS.2008.07.083

[39.19] Rao, GSN; Caltun, OF; Rao, KH; Rao, BP; Wamocha, HL; Hamdeh, HH, Influence of silicon and cobalt substitutions on magnetostriction coefficient of cobalt ferrite, HYPERFINE INTERACT, vol. 184(1-3), pp. 179-184, , (2008) 10.1007/S10751-008-9786-6

autori=9 autori_eff=6.333 AIS=0.000 prim=0.000 inf=0.000 citari/valide=19 / 19 cit=3.000

---

[40] Astefanoaei, I; Dumitru, I; Grimberg, R; Stancu, A, The effect of a metallic layer on energetic states of quantum dots, SENS LETT, vol. 5(1), pp. 185-188, (2007) 10.1166/SL.2007.054

[40.1] Kang, HG; Tokumasu, F; Clarke, M; Zhou, ZP; Tang, JY; Nguyen, T; Hwang, J, Probing dynamic fluorescence properties of single and clustered quantum dots toward quantitative biomedical imaging of cells, WIRES NANOMED NANOBI, vol. 2(1), pp. 48-58, , (2010) 10.1002/WNAN.62

autori=4 autori_eff=4.000 AIS=0.000 prim=0.000 inf=0.000 citari/valide=1 / 1 cit=0.250

---

[41] Rao, GSN; Ananda, KS; Rao, KH; Parvatheeswara, RB; Gupta, A; Caltun, O; Dumitru, I; Kim, C, Doped cobalt ferrites for stress sensor applications, , vol. , pp. 961-964, (2007)

autori=8 autori_eff=6.000 AIS=0.000 prim=0.000 inf=0.000 citari/valide=0 / 0 cit=0.000

---

[42] Rao, BP; Kim, CO; Kim, C; Dumitru, I; Spinu, L; Caltun, OF, Structural and magnetic characterizations of coprecipitated Ni-Zn and Mn-Zn ferrite nanoparticles, IEEE T MAGN, vol. 42(10), pp. 2858-2860, (2006) 10.1109/TMAG.2006.879901

[42.1] Azab, AA; Albaaj, S, EFFECT OF GRINDING TIME ON THE STRUCTURAL AND MAGNETIC PROPERTIES OF ULTRAFINE Ni0.7Zn0.3Fe2O4, J OVONIC RES, vol. 11(5), pp. 195-201, , (2015)

[42.2] Srinivas, C; Tirupanyam, BV; Satish, A; Seshubai, V; Sastry, DL; Caltun, OF, Effect of Ni2+ substitution on structural and magnetic properties of Ni-Zn ferrite nanoparticles, J MAGN MAGN MATER, vol. 382, pp. 15-19, , (2015) 10.1016/J.JMMM.2015.01.008

[42.3] Akhtar, MN; Yahya, N; Sattar, A; Ahmad, M; Idrees, M; Asif, MH; Khan, MA, Investigations of Structural and Magnetic Properties of Nanostructured Ni0.5+xZn0.5-xFe2O4 Magnetic Feeders for CSEM Application, INT J APPL CERAM TEC, vol. 12(3), pp. 625-637, , (2015) 10.1111/IJAC.12222

[42.4] Szczygiel, I; Winiarska, K, Synthesis and characterization of manganese-zinc ferrite obtained

by thermal decomposition from organic precursors, J THERM ANAL CALORIM, vol. 115(1), pp. 471-477, , (2014) 10.1007/S10973-013-3281-2

[42.5] Dixit, G; Negi, P; Singh, JP; Srivastava, RC; Agrawal, HM, Effect of Ce Doping on the Magnetic Properties of NiFe2O4 Nanoparticles, J SUPERCOND NOV MAGN, vol. 26(4), pp. 1015-1019, , (2013) 10.1007/S10948-012-1847-Z

[42.6] Naidu, V; Sahib, SKAAK; Sivabharathy, M; Legadevi, R; Kumar, AS; Prakash, C; Pandian, S, Synthesis and Characterization of Novel Nano Ceramic Magnesium Ferrite Material Doped with Samarium and Dysprosium for Designing-Microstrip Patch Antenna, DEFECT DIFFUS FORUM, vol. 332, pp. 35-50, , (2012) 10.4028/WWW.SCIENTIFIC.NET/DDF.332.35

[42.7] Thakur, A; Thakur, P; Hsu, JH, Enhancement in Dielectric and Magnetic Properties of In3+ Substituted Ni-Zn Nano-Ferrites by Coprecipitation Method, IEEE T MAGN, vol. 47(10), pp. 4336-4339, , (2011) 10.1109/TMAG.2011.2156394

[42.8] Musat, V; Potecasu, O; Belea, R; Alexandru, P, Magnetic materials from co-precipitated ferrite nanoparticles, MATER SCI ENG B-ADV, vol. 167(2), pp. 85-90, , (2010) 10.1016/J.MSEB.2010.01.038

[42.9] Saafan, SA; Assar, ST; Moharram, BM; El Nimr, MK, Comparison study of some structural and magnetic properties of nano-structured and bulk Li-Ni-Zn ferrite samples, J MAGN MAGN MATER, vol. 322(6), pp. 628-632, , (2010) 10.1016/J.JMMM.2009.10.027

[42.10] Beji, Z; Smiri, LS; Yaacoub, N; Greneche, JM; Menguy, N; Ammar, S; Fievet, F, Annealing Effect on the Magnetic Properties of Polyol-made Ni-Zn Ferrite Nanoparticles, CHEM MATER, vol. 22(4), pp. 1350-1366, , (2010) 10.1021/CM901969C

[42.11] Ozgur, U; Alivov, Y; Morkoc, H, Microwave ferrites, part 1: fundamental properties, J MATER SCI-MATER EL, vol. 20(9), pp. 789-834, , (2009) 10.1007/S10854-009-9923-2

[42.12] Rao, BP; Caltun, OF; Kim, C, Low temperature chemical synthesis of Ni-Zn ferrite nanoparticles, J OPTOELECTRON ADV M, vol. 10(7), pp. 1885-1888, , (2008)

[42.13] Rao, BP; Rao, GSN; Kumar, AM; Rao, KH; Murthy, YLN; Hong, SM; Kim, CO; Kim, C, Soft chemical synthesis and characterization of Ni0.65Zn0.35Fe2O4 nanoparticles, J APPL PHYS, vol. 101(12), art.no. 123902, (2007) 10.1063/1.2745284

[42.14] Kong, LB; Li, ZW; Lin, GQ; Gan, YB, Ni-Zn ferrites composites with almost equal values of permeability and permittivity for low-frequency antenna design, IEEE T MAGN, vol. 43(1), pp. 6-10, , (2007) 10.1109/TMAG.2006.886321

autori=6 autori_eff=5.333 AIS=0.413 prim=0.000 inf=0.077 citari/valide=14 / 14 cit=2.625

---

[43] Dumitru, I; Li, F; Wiley, JB; Cimpoesu, D; Stancu, A; Spinu, L, Interaction effects analysis of FMR spectra on dense nanowire systems, IEEE T MAGN, vol. 42(10), pp. 3225-3227, (2006) 10.1109/TMAG.2006.880139

[43.1] Tannous, C; Gieraltowski, J, Angle sensing with ferromagnetic nanowire arrays, APPL PHYS LETT, vol. 104(3), art.no. 032403, (2014) 10.1063/1.4862924

autori=6 autori_eff=5.333 AIS=0.413 prim=0.413 inf=0.077 citari/valide=1 / 1 cit=0.188

---

[44] Rao, BP; Kumar, AM; Rao, KH; Murthy, YLN; Caltun, OF; Dumitru, I; Spinu, L, Synthesis and magnetic studies of Ni-Zn ferrite nanoparticles, J OPTOELECTRON ADV M, vol. 8(5), pp. 1703-1705, (2006)

[44.1] Manikandan, A; Antony, SA; Sridhar, R; Ramakrishna, S; Bououdina, M, A Simple Combustion Synthesis and Optical Studies of Magnetic Zn1-xNixFe2O4 Nanostructures for Photoelectrochemical Applications, J NANOSCI NANOTECHNO, vol. 15(7), pp. 4948-4960, , (2015) 10.1166/JNN.2015.9814

[44.2] Srinivas, C; Tirupanyam, BV; Satish, A; Seshubai, V; Sastry, DL; Caltun, OF, Effect of Ni2+ substitution on structural and magnetic properties of Ni-Zn ferrite nanoparticles, J MAGN MAGN MATER, vol. 382, pp. 15-19, , (2015) 10.1016/J.JMMM.2015.01.008

[44.3] Kumar, S; Singh, V; Mandal, UK; Kotnala, K, Nanocrystalline Co0.5Zn0.5Fe2O4 ferrite: Synthesis, characterization and study of their magnetic behavior at different temperatures, INORG CHIM ACTA, vol. 428, pp. 21-26, , (2015) 10.1016/J.ICA.2015.01.014

[44.4] Fan, JW; Zhang, ZH; Zhao, HJ; Zhang, XL; Zhang, ZG, Study on the Properties of Ni-Zn Ferrites Prepared by Using Nano-Size ZnO, AER ADV ENG RES, vol. 21, pp. 272-275, , (2015)

[44.5] Pradhan, DK; Misra, P; Puli, VS; Sahoo, S; Pradhan, DK; Katiyar, RS, Studies on structural, dielectric, and transport properties of Ni0.65Zn0.35Fe2O4, J APPL PHYS, vol. 115(24), art.no. 243904, (2014) 10.1063/1.4885420

[44.6] Khan, MA; ul Islam, M; Iqbal, MA; Ahmad, M; Din, MF; Murtaza, G; Ahmad, I; Warsi, MF, Magnetic, ferromagnetic resonance and electrical transport study of Ni1-xTxFe2O4 spinel ferrites, CERAM INT, vol. 40(2), pp. 3571-3577, , (2014) 10.1016/J.CERAMINT.2013.09.071

[44.7] Bhalodia, JA; Mankadia, SR, Sintering Temperature Effect on the Structural and Electrical Transport Properties of Nanophasic Nd0.7Sr0.3MnO3 Manganite, SOLID STATE PHENOMEN, vol. 209, pp. 216-219, , (2014) 10.4028/WWW.SCIENTIFIC.NET/SSP.209.216

[44.8] Niyaifar, M; Shalilian, H; Hasanpour, A; Mohammadpour, H, Effect of Copper Substitution on Structural and Magnetic Properties of NiZn Ferrite Nanopowders, J MAGN, vol. 18(4), pp. 391-394, , (2013) 10.4283/JMAG.2013.18.4.391

[44.9] Shahane, GS; Zipare, KV; Pant, RP, SYNTHESIS AND CHARACTERIZATION OF SUPERPARAMAGNETIC Fe3O4 NANOPARTICLES FOR FERROFLUID APPLICATION, MAGNETOHYDRODYNAMICS, vol. 49(3-4), pp. 317-321, , (2013)

[44.10] Zhang, M; Zi, ZF; Liu, QC; Zhang, P; Tang, XW; Yang, J; Zhu, XB; Sun, YP; Dai, JM, Size Effects on Magnetic Properties of Ni0.5Zn0.5Fe2O4 Prepared by Sol-Gel Method, ADV MATER SCI ENG, vol. , art.no. 609819, (2013) 10.1155/2013/609819

[44.11] Barba, A; Clausell, C; Jarque, JC; Monzo, M, Obtainment of nanoparticulate CuNiZn ferrite powder by high-energy milling, J CERAM SOC JPN, vol. 120(1404), pp. 311-316, , (2012) 10.2109/JCERSJ2.120.311

[44.12] Olhero, SM; Soma, D; Amaral, VS; Button, TW; Alves, FJ; Ferreira, JMF, Co-precipitation of a Ni-Zn ferrite precursor powder: Effects of heat treatment conditions and deagglomeration on the structure and magnetic properties, J EUR CERAM SOC, vol. 32(10), pp. 2469-2476, , (2012) 10.1016/J.JEURCERAMSOC.2012.03.017

[44.13] Dar, MA; Shah, J; Siddiqui, WA; Kotnala, RK, Influence of synthesis approach on structural and magnetic properties of lithium ferrite nanoparticles, J ALLOY COMPD, vol. 523, pp. 36-42, , (2012) 10.1016/J.JALLCOM.2012.01.083

[44.14] Harish, KN; Naik, HSB; Kumar, PNP; Viswanath, R, Synthesis, enhanced optical and photocatalytic study of Cd-Zn ferrites under sunlight, CATAL SCI TECHNOL, vol. 2(5), pp. 1033-1039, , (2012) 10.1039/C2CY00503D

[44.15] Kumar, GSY; Naik, HSB; Roy, AS; Harish, KN; Viswanath, R, Synthesis, Optical and Electrical Properties of ZnFe2O4 Nanocomposites Regular Paper, NANOMATER NANOTECHNO, vol. 2, art.no. 19, (2012)

[44.16] Gawas, UB; Verenkar, VMS; Mojumdar, SC, Synthesis and characterization of Ni0.6Zn0.4Fe2O4 nano-particles obtained by auto catalytic thermal decomposition of carboxylato-hydrazinate complex, J THERM ANAL CALORIM, vol. 104(3), pp. 879-883, , (2011) 10.1007/S10973-011-1289-Z

[44.17] Gabal, MA; Bayoumy, WA, Effect of composition on structural and magnetic properties of nanocrystalline Ni0.8-xZn0.2MgxFe2O4 ferrite, POLYHEDRON, vol. 29(13), pp. 2569-2573, , (2010) 10.1016/J.POLY.2010.04.019

[44.18] Shahane, GS; Kumar, A; Arora, M; Pant, RP; Lal, K, Synthesis and characterization of Ni-Zn ferrite nanoparticles, J MAGN MAGN MATER, vol. 322(8), pp. 1015-1019, , (2010) 10.1016/J.JMMM.2009.12.006

[44.19] Musat, V; Potecasu, O; Belea, R; Alexandru, P, Magnetic materials from co-precipitated ferrite nanoparticles, MATER SCI ENG B-ADV, vol. 167(2), pp. 85-90, , (2010) 10.1016/J.MSEB.2010.01.038

[44.20] Kumar, S; Singh, V; Aggarwal, S; Mandal, UK; Kotnala, RK, Synthesis of nanocrystalline Ni0.5Zn0.5Fe2O4 ferrite and study of its magnetic behavior at different temperatures, MATER SCI ENG B-ADV, vol. 166(1), pp. 76-82, , (2010) 10.1016/J.MSEB.2009.10.009

[44.21] Shahane, GS; Kumar, A; Pant, RP; Lal, K, Structural And Magnetic Properties Of Ni-Zn Ferrite Nanoparticles, AIP CONF PROC, vol. 1276, pp. 374-380, , (2010) 10.1063/1.3504329

[44.22] Ghodake, JS; Kambale, RC; Kulkarni, SD; Sawant, SR; Suryavanshi, SS, Complex

permeability studies of Ni-Co-Zn ferrites synthesized by an oxalate precursor method, SMART MATER STRUCT, vol. 18(12), art.no. 125009, (2009) 10.1088/0964-1726/18/12/125009
autori=7 autori_eff=5.667 AIS=0.130 prim=0.000 inf=0.023 citari/valide=22 / 22 cit=3.882
---
[45] Rao, BP; Caltun, O; Dumitru, I; Spinu, L, Complex permeability spectra of Ni-Zn ferrites doped with V(2)O(5)/Nb(2)O(5), J MAGN MAGN MATER, vol. 304(2), pp. E749-E751, (2006) 10.1016/J.JMMM.2006.02.270
[45.1] Shirsath, SE; Yasukawa, Y; Ghasemi, A; Liu, XX; Morisako, A, Bi2O3 liquid phase assisted and Mn substituted permeability and magnetic properties of Ni-Cu-Zn ferrite for multilayer chip inductor application, J APPL PHYS, vol. 115(17), art.no. 17A515, (2014) 10.1063/1.4865467
[45.2] Ramesh, T; Shinde, RS; Murthy, SR, Synthesis and characterization of NiCoMnCuFe1.96O4 for circulator application, J MAGN MAGN MATER, vol. 323(12), pp. 1593-1598, , (2011) 10.1016/J.JMMM.2010.12.010
[45.3] Guo, LP; Shen, XQ; Meng, XF; Feng, YH, Effect of Sm3+ ions doping on structure and magnetic properties of nanocrystalline NiFe2O4 fibers, J ALLOY COMPD, vol. 490(1-2), pp. 301-306, , (2010) 10.1016/J.JALLCOM.2009.09.182
[45.4] Su, H; Tang, XL; Zhang, HW; Jia, LJ; Zhong, ZY, Influences of Bi2O3 additive on the microstructure, permeability, and power loss characteristics of Ni-Zn ferrites, J MAGN MAGN MATER, vol. 321(19), pp. 3183-3186, , (2009) 10.1016/J.JMMM.2009.05.046
[45.5] Su, H; Zhang, HW; Tang, XL; Zhong, ZY; Jing, YL, Analysis of low-temperature-fired NiCuZn ferrites for power applications, MATER SCI ENG B-ADV, vol. 162(1), pp. 22-25, , (2009) 10.1016/J.MSEB.2009.01.030
[45.6] Brito, VLO; Migliano, ACC; Lemos, LV; Melo, FCL, CERAMIC PROCESSING ROUTE AND CHARACTERIZATION OF A Ni-Zn FERRITE FOR APPLICATION IN A PULSED-CURRENT MONITOR, PROG ELECTROMAGN RES, vol. 91, pp. 303-318, , (2009) 10.2528/PIER09031603
[45.7] Su, H; Zhang, HW; Tang, XL; Jing, YL, Influence of microstructure on permeability dispersion and power loss of NiZn ferrite, J APPL PHYS, vol. 103(9), art.no. 093903, (2008) 10.1063/1.2908202
[45.8] Parvatheeswara, B; Kim, C, Effect of Nb2O5 additions on the power loss of NiZn ferrites, J MATER SCI, vol. 42(20), pp. 8433-8437, , (2007) 10.1007/S10853-007-1789-1
autori=4 autori_eff=4.000 AIS=0.497 prim=0.000 inf=0.124 citari/valide=8 / 8 cit=2.000
---
[46] Rao, BP; Caltun, O; Dumitru, I; Spinu, L, Ferromagnetic resonance parameters of ball-milled Ni-Zn ferrite nanoparticles, J MAGN MAGN MATER, vol. 304(2), pp. E752-E754, (2006) 10.1016/J.JMMM.2006.02.271
[46.1] Khan, MA; Islam, MU; Ishaque, M; Rahman, IZ, Magnetic and dielectric behavior of terbium substituted Mg1-xTbxFe2O4 ferrites, J ALLOY COMPD, vol. 519, pp. 156-160, , (2012) 10.1016/J.JALLCOM.2011.12.159
autori=4 autori_eff=4.000 AIS=0.497 prim=0.000 inf=0.124 citari/valide=1 / 1 cit=0.250
---
[47] Balmus, SB; Pascariu, GN; Creanga, F; Dumitru, I; Sandu, DD, The cavity perturbation method for the measurement of the relative dielectric permittivity in the microwave range, J OPTOELECTRON ADV M, vol. 8(3), pp. 971-977, (2006)
[47.1] Jha, AK; Akhtar, MJ, A Generalized Rectangular Cavity Approach for Determination of Complex Permittivity of Materials, IEEE T INSTRUM MEAS, vol. 63(11), pp. 2632-2641, , (2014) 10.1109/TIM.2014.2313415
[47.2] Faktorova, D; Hadzima, B; Pastorek, F, A New Approach to the Comparison of Microwave Methods Used at Dielectric Constant Assessment, , vol. , pp. 344-347, , (2013)
[47.3] Deluca, M; Vasilescu, CA; Ianculescu, AC; Berger, DC; Ciomaga, CE; Curecheriu, LP; Stoleriu, L; Gajovic, A; Mitoseriu, L; Galassi, C, Investigation of the composition-dependent properties of BaTi1-xZrxO3 ceramics prepared by the modified Pechini method, J EUR CERAM SOC, vol. 32(13), pp.

3551-3566, , (2012) 10.1016/J.JEURCERAMSOC.2012.05.007
[47.4] Banerjee, P; Ghosh, G; Biswas, SK, Amendment of cavity perturbation method for measuring dielectric properties of medium loss sample at microwave frequencies, OPTOELECTRON ADV MAT, vol. 6(5-6), pp. 623-626, , (2012)
[47.5] Kapoor, M; Daya, KS; Tyagi, GS, Coupled ring resonator for microwave characterization of dielectric materials, INT J MICROW WIREL T, vol. 4(2), pp. 241-246, , (2012) 10.1017/S1759078711001103
[47.6] Munir, A; Prasetiadi, AE; Effendi, MR, Cavity Reflection-Transmission-Perturbation Method for Foliage Relative Permittivity Measurement, , vol. , pp. 213-215, , (2012)
[47.7] Banerjee, P; Ghosh, G; Biswas, SK, Measurement of dielectric properties of medium loss samples at X-band frequencies, J OPTOELECTRON ADV M, vol. 12(6), pp. 1367-1371, , (2010)
autori=5 autori_eff=5.000 AIS=0.130 prim=0.000 inf=0.026 citari/valide=7 / 7 cit=1.400
---
[48] Spinu, L; Dumitru, I; Stancu, A; Cimpoesu, D, Transverse susceptibility as the low-frequency limit of ferromagnetic resonance, J MAGN MAGN MATER, vol. 296(1), pp. 1-8, (2006) 10.1016/J.JMMM.2004.12.045
[48.1] Silva, AM; Escobar, VM; Callegari, GL; Agra, K; Chesman, C; Bohn, F; Correa, MA, Giant magnetoimpedance effect in Co2FeAl single layered and Co2FeAl/Ag multilayered films in amorphous substrates, MATER LETT, vol. 156, pp. 90-93, , (2015) 10.1016/J.MATLET.2015.04.147
[48.2] Correa, MA; Bohn, F; da Silva, RB; Sommer, RL, Magnetoimpedance effect at the high frequency range for the thin film geometry: Numerical calculation and experiment, J APPL PHYS, vol. 116(24), art.no. 243904, (2014) 10.1063/1.4904960
[48.3] Lungu, AC; Stancu, A, Oscillation synchronization in a linear chain of interacting single-domain ferromagnetic particles, PHYSICA B, vol. 444, pp. 106-114, , (2014) 10.1016/J.PHYSB.2014.03.058
[48.4] de Andrade, AMH; Correa, MA; Viegas, ADC; Bohn, F; Sommer, RL, Magnetization dynamics in nanostructures with weak/strong anisotropy, J APPL PHYS, vol. 115(10), art.no. 103908, (2014) 10.1063/1.4868157
[48.5] Tannous, C; Gieraltowski, J, Angle sensing with ferromagnetic nanowire arrays, APPL PHYS LETT, vol. 104(3), art.no. 032403, (2014) 10.1063/1.4862924
[48.6] Correa, MA; Escobar, VM; Trigueiro-Neto, O; Bohn, F; Sossmeier, KD; Bezerra, CG; Chesman, C; Pearson, J; Hoffmann, A, Magnetization Dynamics Through Magnetoimpedance Effect in Isotropic Co2FeAl/Au/Co2FeAl Full-Heusler Alloy Trilayer Films, APPL PHYS EXPRESS, vol. 6(9), art.no. 093001, (2013) 10.7567/APEX.6.093001
[48.7] Cimpoesu, D; Ding, JJ; Stoleriu, L; Adeyeye, A; Stancu, A; Spinu, L, Angular resonant absorption curves in magnetic nanowire arrays, APPL PHYS LETT, vol. 102(23), art.no. 232401, (2013) 10.1063/1.4810758
[48.8] Lungu, AC; Stancu, A, Linear/Nonlinear Regime Limit in AC/DC Magnetic Field Measurements, IEEE T MAGN, vol. 49(6), pp. 2858-2864, , (2013) 10.1109/TMAG.2012.2237410
[48.9] Correa, MA; Bohn, F; Escobar, VM; Marques, MS; Viegas, ADC; Schelp, LF; Sommer, RL, Wide frequency range magnetoimpedance in tri-layered thin NiFe/Ag/NiFe films: Experiment and numerical calculation, J APPL PHYS, vol. 110(9), art.no. 093914, (2011) 10.1063/1.3658262
[48.10] Garcia, C; Florez, JM; Vargas, P; Ross, CA, Effect of the exchange bias coupling strength on the magnetoimpedance of IrMn/NiFe films, J APPL PHYS, vol. 109(7), art.no. 07D735, (2011) 10.1063/1.3565405
[48.11] Garcia, C; Florez, JM; Vargas, P; Ross, CA, Asymmetrical giant magnetoimpedance in exchange-biased NiFe, APPL PHYS LETT, vol. 96(23), art.no. 232501, (2010) 10.1063/1.3446894
[48.12] da Silva, RB; Viegas, ADC; Nascimento, VP; Correa, MA; Schelp, LF; Baggio-Saitovitch, E; Sommer, RL, High frequency magnetoimpedance in Ni81Fe19/Fe50Mn50 exchange biased multilayer, APPL PHYS LETT, vol. 94(4), art.no. 042501, (2009) 10.1063/1.3069275
[48.13] Poddar, P; Morales, MB; Frey, NA; Morrison, SA; Carpenter, EE; Srikanth, H, Transverse susceptibility study of the effect of varying dipolar interactions on anisotropy peaks in a three-dimensional assembly of soft ferrite nanoparticles, J APPL PHYS, vol. 104(6), art.no. 063901, (2008) 10.1063/1.2977592

[48.14] Cimpoesu, D; Spinu, L; Stancu, A, Transverse susceptibility method in nanoparticulate magnetic media, J NANOSCI NANOTECHNO, vol. 8(6), pp. 2731-2744, , (2008)

[48.15] Ciureanu, P; Melo, LGC; Seddaoui, D; Menard, D; Yelon, A, Physical models of magnetoimpedance, J APPL PHYS, vol. 102(7), art.no. 073908, (2007) 10.1063/1.2786086

[48.16] Cimpoesu, D; Stancu, A; Spinu, L, Physics of complex transverse susceptibility of magnetic particulate systems, PHYS REV B, vol. 76(5), art.no. 054409, (2007) 10.1103/PHYSREVB.76.054409

[48.17] Prabhakar, A; Ranvah, N, Incoherent rotation and domain wall collision in rectangular thin magnetic films, IEEE T MAGN, vol. 43(6), pp. 2947-2949, , (2007) 10.1109/TMAG.2007.892873

[48.18] Cimpoesu, D; Stancu, A; Spinu, L, The reversible susceptibility tensor of synthetic antiferromagnets, J APPL PHYS, vol. 101(9), art.no. 09D112, (2007) 10.1063/1.2695060

autori=4 autori_eff=4.000 AIS=0.497 prim=0.000 inf=0.124 citari/valide=18 / 18 cit=4.500

---

[49] Caruntu, G; Rarig, R; Dumitru, I; O'Connor, CJ, Annealing effects on the crystallite size and dielectric properties of ultrafine Ba1-xSrxTiO3 (0 < x < 1) powders synthesized through an oxalate-complex precursor, J MATER CHEM, vol. 16(8), pp. 752-758, (2006) 10.1039/B506578J

[49.1] Shakir, S; Khan, ZS; Ali, A; Akbar, N; Musthaq, W, Development of copper doped titania based photoanode and its performance for dye sensitized solar cell applications, J ALLOY COMPD, vol. 652, pp. 331-340, , (2015) 10.1016/J.JALLCOM.2015.08.243

[49.2] Hu, DW; Luo, X; Kong, XG; Wang, Y; Tanaka, Y; Feng, Q, Topochemical conversion of protonated titanate single crystals into platelike Ba0.5Sr0.5TiO3 mesocrystals with controllable microstructures, CRYSTENGCOMM, vol. 17(8), pp. 1758-1764, , (2015) 10.1039/C4CE02299H

[49.3] Nuraje, N; Su, K, Perovskite ferroelectric nanomaterials, NANOSCALE, vol. 5(19), pp. 8752-8780, , (2013) 10.1039/C3NR02543H

[49.4] Ohira, T; Yamamoto, O, Correlation between antibacterial activity and crystallite size on ceramics, CHEM ENG SCI, vol. 68(1), pp. 355-361, , (2012) 10.1016/J.CES.2011.09.043

[49.5] Ruzimuradov, O; Hasegawa, G; Kanamori, K; Nakanishi, K, Preparation of Hierarchically Porous Nanocrystalline CaTiO3, SrTiO3 and BaTiO3 Perovskite Monoliths, J AM CERAM SOC, vol. 94(10), pp. 3335-3339, , (2011) 10.1111/J.1551-2916.2011.04613.X

[49.6] Bredol, M; Dieckhoff, HS, Materials for Powder-Based AC-Electroluminescence, MATERIALS, vol. 3(2), pp. 1353-1374, , (2010) 10.3390/MA3021353

[49.7] Wang, LQ; Kang, HM; Xue, DF; Liu, CH, Synthesis and characterization of Ba0.5Sr0.5TiO3 nanoparticles, J CRYST GROWTH, vol. 311(3), pp. 605-607, , (2009) 10.1016/J.JCRYSGRO.2008.09.069

[49.8] Buscaglia, MT; Buscaglia, V; Alessio, R, Coating of BaCO3 crystals with TiO2: Versatile approach to the synthesis of BaTiO3 tetragonal nanoparticles, CHEM MATER, vol. 19(4), pp. 711-718, , (2007) 10.1021/CM061823B

autori=4 autori_eff=4.000 AIS=1.505 prim=0.000 inf=0.376 citari/valide=8 / 8 cit=2.000

---

[50] Cimpoesu, D; Stancu, A; Dumitru, I; Spinu, L, Micromagnetic simulation of the imaginary part of the transverse susceptibility, IEEE T MAGN, vol. 41(10), pp. 3121-3123, (2005) 10.1109/TMAG.2005.854889

[50.1] Lungu, AC; Stancu, A, Linear/Nonlinear Regime Limit in AC/DC Magnetic Field Measurements, IEEE T MAGN, vol. 49(6), pp. 2858-2864, , (2013) 10.1109/TMAG.2012.2237410

[50.2] Cimpoesu, D; Spinu, L; Stancu, A, Transverse susceptibility method in nanoparticulate magnetic media, J NANOSCI NANOTECHNO, vol. 8(6), pp. 2731-2744, , (2008)

[50.3] Cimpoesu, D; Stancu, A; Spinu, L, Physics of complex transverse susceptibility of magnetic particulate systems, PHYS REV B, vol. 76(5), art.no. 054409, (2007) 10.1103/PHYSREVB.76.054409

[50.4] Cimpoesu, D; Stancu, A; Spinu, L, Micromagnetic study of the complex transverse susceptibility of uniaxial ferromagnets with quartic anisotropy, IEEE T MAGN, vol. 43(6), pp. 2905-2907, , (2007) 10.1109/TMAG.2007.892538

[50.5] Cimpoesu, D; Stancu, A; Spinu, L, Analysis of complex transverse susceptibility method for determination of volume and anisotropy field distributions in recording media, IEEE T MAGN, vol. 42(10), pp. 3153-3155, , (2006) 10.1109/TMAG.2006.880145

[50.6] Cimpoesu, D; Stancu, A; Spinu, L, Micromagnetic simulation of the complex transverse susceptibility in nanostructured particulate systems, J APPL PHYS, vol. 99(8), art.no. 08G315, (2006) 10.1063/1.2177127
autori=4 autori_eff=4.000 AIS=0.459 prim=0.000 inf=0.115 citari/valide=6 / 6 cit=1.500
---
[51] Dumitru, I; Li, F; Wiley, JB; Cimpoesu, D; Stancu, A; Spinu, L, Study of magnetic interactions in metallic nanowire networks, IEEE T MAGN, vol. 41(10), pp. 3361-3363, (2005) 10.1109/TMAG.2005.854707
[51.1] Holanda, J; Campos, CLAV; Franca, CA; Padron-Hernandez, E, Effective surface anisotropy in polycrystalline ferromagnetic nanowires, J ALLOY COMPD, vol. 617, pp. 639-641, , (2014) 10.1016/J.JALLCOM.2014.07.219
[51.2] Raposo, V; Zazo, M; Flores, AG; Sanchez, M; Iniguez, JI; Munoz, JM; Hernandez, P; Torres, C; Redondo, C; Navas, D, Wideband Ferromagnetic Resonance in Nanostructured Arrays, IEEE T MAGN, vol. 50(4), art.no. 2301204, (2014) 10.1109/TMAG.2013.2291251
[51.3] Raposo, V; Flores, AG; Zazo, M; Iniguez, JI; Munoz, JM; Hernandez, P; Torres, C; Redondo, C; Navas, D, Wideband ferromagnetic resonance in nanostructured line arrays, PHYS STATUS SOLIDI C, vol. 11(5-6), pp. 1093-1096, , (2014) 10.1002/PSSC.201300564
[51.4] Flores, AG; Raposo, V; Iniguez, J; Zazo, M; Redondo, C; Navas, D, Anisotropy Field in Ni Nanostripe Arrays, IEEE T MAGN, vol. 49(1), pp. 15-17, , (2013) 10.1109/TMAG.2012.2219853
[51.5] Dobrota, CI; Stancu, A, PKP simulation of size effect on interaction field distribution in highly ordered ferromagnetic nanowire arrays, PHYSICA B, vol. 407(24), pp. 4676-4685, , (2012) 10.1016/J.PHYSB.2012.08.041
[51.6] Rotaru, A; Lim, JH; Lenormand, D; Diaconu, A; Wiley, JB; Postolache, P; Stancu, A; Spinu, L, Interactions and reversal-field memory in complex magnetic nanowire arrays, PHYS REV B, vol. 84(13), art.no. 134431, (2011) 10.1103/PHYSREVB.84.134431
[51.7] Carignan, LP; Yelon, A; Menard, D; Caloz, C, Ferromagnetic Nanowire Metamaterials: Theory and Applications, IEEE T MICROW THEORY, vol. 59(10), pp. 2568-2586, , (2011) 10.1109/TMTT.2011.2163202
[51.8] Lavin, R; Denardin, JC; Espejo, AP; Cortes, A; Gomez, H, Magnetic properties of arrays of nanowires: Anisotropy, interactions, and reversal modes, J APPL PHYS, vol. 107(9), art.no. 09B504, (2010) 10.1063/1.3350905
[51.9] Lim, JH; Chae, WS; Lee, HO; Malkinski, L; Min, SG; Wiley, JB; Jun, JH; Lee, SH; Jung, JS, Fabrication and magnetic properties of Fe nanostructures in anodic alumina membrane, J APPL PHYS, vol. 107(9), art.no. 09A334, (2010) 10.1063/1.3340515
[51.10] Boucher, V; Menard, D, Effective magnetic properties of arrays of interacting ferromagnetic wires exhibiting gyromagnetic anisotropy and retardation effects, PHYS REV B, vol. 81(17), art.no. 174404, (2010) 10.1103/PHYSREVB.81.174404
[51.11] Medina, JD; Piraux, L; Govea, JMO; Encinas, A, Double ferromagnetic resonance and configuration-dependent dipolar coupling in unsaturated arrays of bistable magnetic nanowires, PHYS REV B, vol. 81(14), art.no. 144411, (2010) 10.1103/PHYSREVB.81.144411
[51.12] Ghaddar, A; Gloaguen, F; Gieraltowski, J, Magnetic properties of ferromagnetic nanowire arrays: Theory and experiment, J PHYS CONF SER, vol. 200, art.no. UNSP 072032, (2010) 10.1088/1742-6596/200/7/072032
[51.13] Boucher, V; Carignan, LP; Kodera, T; Caloz, C; Yelon, A; Menard, D, Effective permeability tensor and double resonance of interacting bistable ferromagnetic nanowires, PHYS REV B, vol. 80(22), art.no. 224402, (2009) 10.1103/PHYSREVB.80.224402
[51.14] Chiriac, H; Stoian, G, Influence of the Particles Size and Size Distribution on the Magnetorheological Fluids Properties, IEEE T MAGN, vol. 45(10), pp. 4049-4055, , (2009) 10.1109/TMAG.2009.2024633
[51.15] Carignan, LP; Boucher, V; Kodera, T; Caloz, C; Yelon, A; Menard, D, Double ferromagnetic resonance in nanowire arrays, APPL PHYS LETT, vol. 95(6), art.no. 062504, (2009) 10.1063/1.3194296
[51.16] Kuanr, BK; Veerakumar, V; Marson, R; Mishra, SR; Camley, RE; Celinski, Z, Nonreciprocal microwave devices based on magnetic nanowires, APPL PHYS LETT, vol. 94(20), art.no. 202505, (2009)

10.1063/1.3124657
[51.17] Kartopu, G; Yalcin, O; Kazan, S; Aktas, B, Preparation and FMR analysis of Co nanowires in alumina templates, J MAGN MAGN MATER, vol. 321(9), pp. 1142-1147, , (2009) 10.1016/J.JMMM.2008.10.039
[51.18] Hernandez, EP; Azevedo, A; Rezende, SM, Structure and magnetic properties of hexagonal arrays of ferromagnetic nanowires, J APPL PHYS, vol. 105(7), art.no. 07B525, (2009) 10.1063/1.3074110
[51.19] Kou, XM; Fan, X; Zhu, H; Xiao, JQ, Tunable ferromagnetic resonance in NiFe nanowires with strong magnetostatic interaction, APPL PHYS LETT, vol. 94(11), art.no. 112509, (2009) 10.1063/1.3103562
[51.20] Sklyuyev, A; Ciureanu, M; Akyel, C; Ciureanu, P; Yelon, A, Microwave studies of magnetic anisotropy of Co nanowire arrays, J APPL PHYS, vol. 105(2), art.no. 023914, (2009) 10.1063/1.3066812
[51.21] Pardavi-Horvath, M; Si, PE; Vazquez, M; Rosa, WO; Badini, G, Interaction effects in Permalloy nanowire systems, J APPL PHYS, vol. 103(7), art.no. 07D517, (2008) 10.1063/1.2833304
[51.22] Marson, RL; Kuanr, BK; Mishra, SR; Camley, RE; Celinski, Z, Nickel nanowires for planer microwave circuit applications and characterization, J VAC SCI TECHNOL B, vol. 25(6), pp. 2619-2623, , (2007) 10.1116/1.2801964
[51.23] Ye, B; Li, F; Cimpoesu, D; Wiley, JB; Jung, JS; Stancu, A; Spinu, L, Passive high-frequency devices based on superlattice ferromagnetic nanowires, J MAGN MAGN MATER, vol. 316(2), pp. E56-E58, , (2007) 10.1016/J.JMMM.2007.02.026
[51.24] Carignan, LP; Lacroix, C; Ouimet, A; Ciureanu, M; Yelon, A; Menard, D, Magnetic anisotropy in arrays of Ni, CoFeB, and Ni/Cu nanowires, J APPL PHYS, vol. 102(2), art.no. 023905, (2007) 10.1063/1.2756522
[51.25] Beron, F; Clime, L; Ciureanu, M; Menard, D; Cochrane, RW; Yelon, A, First-order reversal curves diagrams of ferromagnetic soft nanowire arrays, IEEE T MAGN, vol. 42(10), pp. 3060-3062, , (2006) 10.1109/TMAG.2006.880147
autori=6 autori_eff=5.333 AIS=0.459 prim=0.459 inf=0.086 citari/valide=25 / 25 cit=4.688
---
[52] Dumitru, I; Stancu, A; Cimpoesu, D; Spinu, L, Generalized reversible susceptibility tensor, J APPL PHYS, vol. 97(10), art.no. 10E304, (2005) 10.1063/1.1849033
[52.1] Cimpoesu, D; Spinu, L; Stancu, A, Transverse susceptibility method in nanoparticulate magnetic media, J NANOSCI NANOTECHNO, vol. 8(6), pp. 2731-2744, , (2008)
[52.2] Cimpoesu, D; Stancu, A; Spinu, L, Physics of complex transverse susceptibility of magnetic particulate systems, PHYS REV B, vol. 76(5), art.no. 054409, (2007) 10.1103/PHYSREVB.76.054409
autori=4 autori_eff=4.000 AIS=1.230 prim=1.230 inf=0.308 citari/valide=2 / 2 cit=0.500
---
[53] Pham, HN; Dumitru I; Stancu, A; Spinu, L, Magnetization reversal in interacting magnetic systems, J APPL PHYS, vol. 97(10), art.no. 10P106, (2005) 10.1063/1.1853212
[53.1] Sun, ZZ; Lopez, A; Schliemann, J, Zero-field magnetization reversal of two-body Stoner particles with dipolar interaction, J APPL PHYS, vol. 109(10), art.no. 104303, (2011) 10.1063/1.3581106
[53.2] Porrati, F; Huth, M, Criterion of multiswitching stability for magnetic nanoparticles, J APPL PHYS, vol. 104(1), art.no. 013917, (2008) 10.1063/1.2952528
[53.3] Olariu, CS; Stoleriu, L; Stancu, A, Influence of material anisotropy in the switching toggle mode in MRAM devices, J MAGN MAGN MATER, vol. 316(2), pp. E302-E305, , (2007) 10.1016/J.JMMM.2007.02.127
[53.4] Cimpoesu, D; Stancu, A; Spinu, L, Dynamic and temperature effects in toggle magnetic random access memory, J APPL PHYS, vol. 102(1), art.no. 013915, (2007) 10.1063/1.2752138
[53.5] Olariu, CS; Stoleriu, L; Stancu, A, Simulation of toggle mode switching in MRAM'S, J OPTOELECTRON ADV M, vol. 9(4), pp. 1140-1142, , (2007)
autori=4 autori_eff=4.000 AIS=1.230 prim=0.000 inf=0.308 citari/valide=5 / 5 cit=1.250
---

[54] Caruntu, G; Dumitru, I; Bush, GG; Caruntu, D; O'Connor, CJ, Magnetic characterization of nanocrystalline nickel ferrite films processed by a spin-spraying method, J PHYS D APPL PHYS, vol. 38(6), pp. 811-815, (2005) 10.1088/0022-3727/38/6/003

[54.1] Bala, K; Sharma, P; Negi, NS, Structural, microstructural, magnetic and optical behaviour of nanostructured Ni0.5Zn0.5Fe2O4 thin films, J OPTOELECTRON ADV M, vol. 16(3-4), pp. 370-377, , (2014)

[54.2] Seifikar, S; Calandro, B; Deeb, E; Sachet, E; Yang, JJ; Maria, JP; Bassiri-Gharb, N; Schwartz, J, Structural and magnetic properties of biaxially textured NiFe2O4 thin films grown on c-plane sapphire, J APPL PHYS, vol. 112(12), art.no. 123910, (2012) 10.1063/1.4770366

[54.3] Jamadade, VS; Pusawale, SN; Pathan, HM; Lokhande, CD, Characterization of Chemically Grown Nanostructured NiFe2O4 Thin Films, AIP CONF PROC, vol. 1451, pp. 88-90, , (2012) 10.1063/1.4732376

[54.4] Verma, KC; Singh, VP; Ram, M; Shah, J; Kotnala, RK, Structural, microstructural and magnetic properties of NiFe2O4, CoFe2O4 and MnFe2O4 nanoferrite thin films, J MAGN MAGN MATER, vol. 323(24), pp. 3271-3275, , (2011) 10.1016/J.JMMM.2011.07.029

[54.5] Yourdkhani, A; Perez, AK; Lin, CK; Caruntu, G, Magnetoelectric Perovskite-Spinel Bilayered Nanocomposites Synthesized by Liquid-Phase Deposition, CHEM MATER, vol. 22(22), pp. 6075-6084, , (2010) 10.1021/CM1014866

[54.6] Anjum, S; Jaffari, GH; Rumaiz, AK; Rafique, MS; Shah, SI, Role of vacancies in transport and magnetic properties of nickel ferrite thin films, J PHYS D APPL PHYS, vol. 43(26), art.no. 265001, (2010) 10.1088/0022-3727/43/26/265001

[54.7] Dixit, G; Singh, JP; Srivastava, RC; Agrawal, HM; Choudhary, RJ; Gupta, A, Structural and magnetic behaviour of NiFe2O4 thin film grown by pulsed laser deposition, INDIAN J PURE AP PHY, vol. 48(4), pp. 287-291, , (2010)

[54.8] Dixit, G; Singh, JP; Srivastava, RC; Agrawal, HM; Choudhary, RJ; Gupta, A, Annealing effect on the structural and magnetic properties of nickel ferrite thin films, SURF INTERFACE ANAL, vol. 42(3), pp. 151-156, , (2010) 10.1002/SIA.3195

[54.9] Guo, DW; Zhang, ZM; Lin, M; Fan, XL; Chai, GZ; Xu, Y; Xue, DS, Ni-Zn ferrite films with high resonance frequency in the gigahertz range deposited by magnetron sputtering at room temperature, J PHYS D APPL PHYS, vol. 42(12), art.no. 125006, (2009) 10.1088/0022-3727/42/12/125006

[54.10] Carta, D; Casula, MF; Corrias, A; Falqui, A; Loche, D; Mountjoy, G; Wang, P, Structural and Magnetic Characterization of Co and Ni Silicate Hydroxides in Bulk and in Nanostructures within Silica Aerogels, CHEM MATER, vol. 21(5), pp. 945-953, , (2009) 10.1021/CM8029714

[54.11] Gupta, N; Kashyap, SC; Dube, DC, Spin-deposited nanocrystalline lithium ferrite thin films: Fabrication and characterization, APPL SURF SCI, vol. 253(22), pp. 9039-9045, , (2007) 10.1016/J.APSUSC.2007.05.038

[54.12] Kurinec, SK; Okeke, N; Gupta, SK; Zhang, H; Xiao, TD, Synthesis and electrophoretic deposition of magnetic nickel ferrite nanoparticles, J MATER SCI, vol. 41(24), pp. 8181-8185, , (2006) 10.1007/S10853-006-0393-0

autori=5 autori_eff=5.000 AIS=0.836 prim=0.000 inf=0.167 citari/valide=12 / 12 cit=2.400

---

[55] Spinu, L; Pham, H; Radu, C; Denardin, JC; Dumitru, I; Knobel, M; Dorneles, LS; Schelp, LF; Stancu, A, Probing two-dimensional magnetic switching in Co/SiO2 multilayers using reversible susceptibility experiments, APPL PHYS LETT, vol. 86(1), art.no. 012506, (2005) 10.1063/1.1842851

[55.1] Diaconu, A; Spinu, L, Design of a Tunnel Diode Oscillator for Material Properties Investigations, , vol. , pp. 858-865, , (2014)

[55.2] Bernstorff, S; Holy, V; Endres, J; Vales, V; Sobota, J; Siketic, Z; Bogdanovic-Radovic, I; Buljan, M; Drazic, G, Co nanocrystals in amorphous multilayers - a structure study, J APPL CRYSTALLOGR, vol. 46, pp. 1711-1721, , (2013) 10.1107/S0021889813026836

[55.3] Eberbeck, D; Dennis, CL; Huls, NF; Krycka, KL; Gruttner, C; Westphal, F, Multicore Magnetic Nanoparticles for Magnetic Particle Imaging, IEEE T MAGN, vol. 49(1), pp. 269-274, , (2013) 10.1109/TMAG.2012.2226438

[55.4] Poddar, P; Morales, MB; Frey, NA; Morrison, SA; Carpenter, EE; Srikanth, H, Transverse

susceptibility study of the effect of varying dipolar interactions on anisotropy peaks in a three-dimensional assembly of soft ferrite nanoparticles, J APPL PHYS, vol. 104(6), art.no. 063901, (2008) 10.1063/1.2977592

[55.5] Radu, C; Cimpoesu, D; Stancu, A; Spinu, L, Measurement of the critical curve of a synthetic antiferromagnet, APPL PHYS LETT, vol. 93(2), art.no. 022506, (2008) 10.1063/1.2953439

[55.6] Cimpoesu, D; Spinu, L; Stancu, A, Transverse susceptibility method in nanoparticulate magnetic media, J NANOSCI NANOTECHNO, vol. 8(6), pp. 2731-2744, , (2008)

[55.7] Knobel, M; Nunes, WC; Socolovsky, LM; De Biasi, E; Vargas, JM; Denardin, JC, Superparamagnetism and other magnetic features in granular materials: A review on ideal and real systems, J NANOSCI NANOTECHNO, vol. 8(6), pp. 2836-2857, , (2008) 10.1166/JNN.2008.017

[55.8] Cimpoesu, D; Stancu, A; Spinu, L, Physics of complex transverse susceptibility of magnetic particulate systems, PHYS REV B, vol. 76(5), art.no. 054409, (2007) 10.1103/PHYSREVB.76.054409

[55.9] Cimpoesu, D; Stancu, A; Spinu, L, The reversible susceptibility tensor of synthetic antiferromagnets, J APPL PHYS, vol. 101(9), art.no. 09D112, (2007) 10.1063/1.2695060

[55.10] Radu, C; Cimpoesu, D; Girt, E; Ju, GP; Stancu, A; Spinu, L, Reversible susceptibility studies of magnetization switching in FeCoB synthetic antiferromagnets, J APPL PHYS, vol. 101(9), art.no. 09D109, (2007) 10.1063/1.2710957

autori=9 autori_eff=6.333 AIS=1.969 prim=0.000 inf=0.311 citari/valide=10 / 10 cit=1.579

---

[56] Dao, N; Donahue, MJ; Dumitru, I; Spinu, L; Whittenburg, SL; Lodder, JC, Dynamic susceptibility of nanopillars, NANOTECHNOLOGY, vol. 15(10), pp. S634-S638, art.no. PII S0957-4484(04)77523-6, (2004) 10.1088/0957-4484/15/10/022

[56.1] Ismail; Djuhana, D; Kim, DH, Micromagnetic Simulation Dynamics of Susceptibility Spectrum in Diamond-Shaped Ferromagnetics, AIP CONF PROC, vol. 1589, pp. 200-202, , (2014) 10.1063/1.4868782

[56.2] Metaxas, PJ, Creep and Flow Dynamics of Magnetic Domain Walls: Weak Disorder, Wall Binding, and Periodic Pinning, SOLID STATE PHYS, vol. 62, pp. 75-162, , (2011)

[56.3] Zhang, B; Wang, WW; Mu, CP; Liu, QF; Wang, JB, Calculations of three-dimensional magnetic excitations in permalloy nanostructures with vortex state, J MAGN MAGN MATER, vol. 322(17), pp. 2480-2484, , (2010) 10.1016/J.JMMM.2010.03.002

[56.4] Chen, WB; Han, MG; Zhou, H; Ou, Y; Deng, LJ, Micromagnetic simulation on the dynamic susceptibility spectra of cobalt nanowires arrays: the effect of magnetostatic interaction, CHINESE PHYS B, vol. 19(8), art.no. 087502, (2010)

[56.5] Mu, CP; Wang, WW; Zhang, B; Liu, QF; Wang, JB, Dynamic micromagnetic simulation of permalloy antidot array film, PHYSICA B, vol. 405(5), pp. 1325-1328, , (2010) 10.1016/J.PHYSB.2009.11.079

[56.6] Chen, WB; Han, MG, Microwave Susceptibility Dispersion Spectra of Nanodot Arrays with Perpendicular Anisotropy, PR ELECTROMAGN RES S, vol. , pp. 1748-1751, , (2010)

[56.7] Wang, JB; Zhang, B; Liu, QF; Ren, Y; Liu, RL, Micromagnetic calculation of dynamic susceptibility in ferromagnetic nanorings, J APPL PHYS, vol. 105(8), art.no. 083908, (2009) 10.1063/1.3108537

[56.8] Gubbiotti, G; Madami, M; Tacchi, S; Socino, G; Carlotti, G; Ono, T, Effect of eccentricity on the spin-wave spectrum of NiFe/Cu/NiFe pillars with elliptical cross section, J APPL PHYS, vol. 101(9), art.no. 09F502, (2007) 10.1063/1.2710210

[56.9] Liu, Y; Tan, CY; Liu, ZW; Ong, CK, Microstructure and high frequency properties of nanogranular CoAlO thin films, J APPL PHYS, vol. 101(2), art.no. 023912, (2007) 10.1063/1.2427099

[56.10] Kaya, A; Bain, JA, High frequency susceptibility of closure domain structures calculated using micromagnetic modeling, J APPL PHYS, vol. 99(8), art.no. 08B708, (2006) 10.1063/1.2177411

autori=6 autori_eff=5.333 AIS=1.481 prim=0.000 inf=0.278 citari/valide=10 / 10 cit=1.875

---

[57] Dumitru, I; Sandu, DD, The affect of relaxation phenomena upon the ferromagnetic resonance of fine particle systems, J MAGN MAGN MATER, vol. 265(1), pp. 54-59, (2003) 10.1016/S0304-8853(03)00223-3

autori=2 autori_eff=2.000 AIS=0.682 prim=0.682 inf=0.341 citari/valide=0 / 0 cit=0.000

---

[58] Dumitru, I; Sandu, DD; Verdes, CG, Model of ferromagnetic resonance in interacting fine particle systems, PHYS REV B, vol. 66(10), art.no. 104432, (2002) 10.1103/PHYSREVB.66.104432

[58.1] Boucher, V; Menard, D, Effective magnetic properties of arrays of interacting ferromagnetic wires exhibiting gyromagnetic anisotropy and retardation effects, PHYS REV B, vol. 81(17), art.no. 174404, (2010) 10.1103/PHYSREVB.81.174404

[58.2] Medina, JD; Piraux, L; Govea, JMO; Encinas, A, Double ferromagnetic resonance and configuration-dependent dipolar coupling in unsaturated arrays of bistable magnetic nanowires, PHYS REV B, vol. 81(14), art.no. 144411, (2010) 10.1103/PHYSREVB.81.144411

[58.3] Schmool, D, SPIN DYNAMICS IN NANOMETRIC MAGNETIC SYSTEMS, HBK MAGN MAT, vol. 18, pp. 111-346, , (2009) 10.1016/S1567-2719(09)01802-2

[58.4] Ramos, CA; De Biasi, E; Zysler, RD; Brigneti, EV; Vazquez, M, "Blocking" effects in magnetic resonance? The ferromagnetic nanowires case, J MAGN MAGN MATER, vol. 316(2), pp. E63-E66, , (2007) 10.1016/J.JMMM.2007.02.028

[58.5] Butera, A, Ferromagnetic resonance in arrays of highly anisotropic nanoparticles, EUR PHYS J B, vol. 52(3), pp. 297-303, , (2006) 10.1140/EPJB/E2006-00296-4

autori=3 autori_eff=3.000 AIS=1.520 prim=1.520 inf=0.507 citari/valide=5 / 5 cit=1.667

P=6.551 I=6.842 C=63.466

29 octombrie 2019
conf. dr. Ioan Dumitru